



Bend 11°15 (1/32) (PECB) with 2 sockets STANDARD



Angle	DN (mm)	Lu (mm)	P (mm)	ØDI (mm)	ØB (mm)	Mass (kg)	References
11°15	60	35	82	80.2	143.5	5.10	SSA60CE00TT
11°15	80	40	85	101.4	167.5	6.50	SSA80CE00TT
11°15	100	40	88	121.4	187.5	7.90	SSB10CE00TT
11°15	125	45	91	147.4	214.5	10.30	SSB12CE00TT
11°15	150	46	94	173.4	241	12.60	SSB15CE00TT
11°15	200	52	100	225.5	294	19.20	SSB20CE00TT
11°15	250	55	105	277.3	351	30.50	SSB25CE00TT
11°15	300	50	110	329.3	408.3	39.70	SSB30CE00TT
11°15	350	50	110	381.9	464.3	40.64	SSB35CE00TT2
11°15	400	49	112	432.9	515.3	50.70	SSB40CE00TT2
11°15	450	65	115.5	484	573	65.31	SSB45CE00TT2
11°15	500	60	117.5	536	628	74.76	SSB50CE00TT2
11°15	600	70	132.5	639.1	737	106.37	SSB60CE00TT2
11°15	700	87	150	742.2	863	197.00	SSB70CE00TT
11°15	800	90.5	160	846.3	974	253.40	SSB80CE00TT
11°15	900	102.5	175	949.4	1082	325.60	SSB90CE00TT
11°15	1000	117.5	185	1052.5	1191	418.00	SSC10CE00TT
11°15	1100	140	190	1155	1300	490.00	SSC11CE00TT
11°15	1200	137.5	195	1263	1412.5	478.00	SSC12CE00TT
11°15	1400	143	255	1467	1600	884.00	SSC14CE00TT
11°15	1500	193	280	1570	1742	1143.00	SSC15CE00TT
11°15	1600	153	275	1673	1820	1173.00	SSC16CE00TT

Angle	DN (mm)	Lu (mm)	P (mm)	ØDI (mm)	ØB (mm)	Mass (kg)	References
11°15	1800	200	258	1881.7	2038.2	1542.00	SSC18CE00TT
11°15	2000	200	290	2089	2269	2151.00	SSC20CE00TT


Field of use:

- For drinking water and irrigation networks
- For aggressive soils (maritime soils, peaty, ...)


Main characteristics:

- External and internal coating : Blue epoxy powder 250 microns average thickness with a minimum of 200 microns, conforming to EN 14901-1 (PECB)
- In conformity with EN 545:2010 and ISO 2531:2009


Linked products




Kit Standard Bend PECB +
Standard Gasket



Kit Standard Fitting PECB +
Standard Vi Gasket



Kit Standard Fitting PECB +
Standard V+i Joint



Kit Standard Fitting PECB +
Standard Ve Joint



NATURAL SUPPLY, TREATMENT AND DISTRIBUTION DN 60 - 2000

06/05/2026
WARSF21STD364

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.