


## Ensemble Raccord Standard PECB + Joint Standard Vi



### Coudes Standard

DN	Poids de l'ensemble	Référence
60	6.52 kg	SSA60CA00TT-E06
60	6.82 kg	SSA60CB00TT-E06
60	5.22 kg	SSA60CD00TT-E06
60	5.42 kg	SSA60CE00TT-E06
80	8.02 kg	SSA80CA00TT-E06
80	7.42 kg	SSA80CB00TT-E06
80	6.62 kg	SSA80CD00TT-E06
80	6.92 kg	SSA80CE00TT-E06
100	10.56 kg	SSB10CA00TT-E06
100	9.46 kg	SSB10CB00TT-E06
100	8.36 kg	SSB10CD00TT-E06
100	8.46 kg	SSB10CE00TT-E06
125	12.96 kg	SSB12CB00TT-E06
125	10.56 kg	SSB12CD00TT-E06
125	10.96 kg	SSB12CE00TT-E06
150	18.98 kg	SSB15CA00TT-E06
150	16.48 kg	SSB15CB00TT-E06
150	13.08 kg	SSB15CD00TT-E06
150	13.48 kg	SSB15CE00TT-E06
200	30.44 kg	SSB20CA00TT-E06
200	24.94 kg	SSB20CB00TT-E06

DN	Poids de l'ensemble	Référence
200	20.14 kg	SSB20CD00TT-E06
200	20.44 kg	SSB20CE00TT-E06
250	51.3 kg	SSB25CA00TT-E06
250	42.2 kg	SSB25CB00TT-E06
250	33.9 kg	SSB25CD00TT-E06
250	32.2 kg	SSB25CE00TT-E06
300	75.32 kg	SSB30CA00TT-E06
300	61.62 kg	SSB30CB00TT-E06
300	44.82 kg	SSB30CD00TT-E06
300	42.32 kg	SSB30CE00TT-E06
350	77.09 kg	SSB35CA00TT2-E51
350	62.04 kg	SSB35CB00TT2-E06
350	46.93 kg	SSB35CD00TT2-E06
350	43.78 kg	SSB35CE00TT2-E06
400	100.39 kg	SSB40CA00TT2-E06
400	75.68 kg	SSB40CB00TT2-E06
400	61.68 kg	SSB40CD00TT2-E06
400	54.38 kg	SSB40CE00TT2-E06
450	94.79 kg	SSB45CB00TT2-E06
450	75.89 kg	SSB45CD00TT2-E06
500	130.48 kg	SSB50CB00TT2-E06
500	101.71 kg	SSB50CD00TT2-E06
500	80.18 kg	SSB50CE00TT2-E06
500	160.82 kg	SSB50CA00TT2-E06
600	318.56 kg	SSB60CA00TT-E06
600	192.57 kg	SSB60CB00TT2-E06
600	146.06 kg	SSB60CD00TT2-E06
600	113.93 kg	SSB60CE00TT2-E06
700	591.8 kg	SSB70CA00TT-E06
700	318.3 kg	SSB70CB00TT-E06
700	238.4 kg	SSB70CD00TT-E06
700	204.8 kg	SSB70CE00TT-E06

### Cônes Standard

DN	Ø dn	Poids de l'ensemble	Référence
100	80	7.99 kg	SSB10VE0ETT-E06
150	60	11.8 kg	SSB15VE0CTT-E06
150	100	11.82 kg	SSB15VE0FTT-E06
200	100	18.2 kg	SSB20VE0FTT-E06
200	150	17.76 kg	SSB20VE0JTT-E06
250	125	24.58 kg	SSB25VE0GTT2-E06
250	150	24.49 kg	SSB25VE0JTT2-E06
250	200	23.67 kg	SSB25VE0KTT2-E06
300	250	32.66 kg	SSB30VE0LTT2-E06
350	200	44.19 kg	SSB35VE0KTT2-E06
350	250	43.69 kg	SSB35VE0LTT2-E06
350	300	43.68 kg	SSB35VE0MTT2-E06
400	250	67.69 kg	SSB40VE0LTT-E06
400	300	53.13 kg	SSB40VE0MTT2-E06
400	350	72.41 kg	SSB40VE0YTT-E06
450	300	70.76 kg	SSB45VE0MTT2-E06
450	400	73.39 kg	SSB45VE0NTT-E06
500	400	79.42 kg	SSB50VE0NTT2-E06
600	500	111.91 kg	SSB60VE0QTT2-E06

### Tés 3E Standard

DN	Ø dn	Poids de l'ensemble	Référence
80	80	11.83 kg	SSA80TE0ETT-E06
100	100	15.74 kg	SSB10TE0FTT-E06
150	100	20.96 kg	SSB15TE0FTT-E06
150	150	28.32 kg	SSB15TE0JTT-E06
200	150	33.98 kg	SSB20TE0JTT-E06
200	200	42.56 kg	SSB20TE0KTT-E06
250	250	52.25 kg	SSB25TE0LTT2-E06

### Tés 2E B Standard

DN	Ø dn	PN	Poids de l'ensemble	Référence
60	60	10 16	10.02 kg	SSA60UD1CTT-E06
80	40	10 16 25 40	10.62 kg	SSA80UD1ATT-E06

DN	Ø dn	PN	Poids de l'ensemble	Référence
80	60	10 16	11.52 kg	SSA80UD1CTT-E06
80	80	10 16 25 40	12.92 kg	SSA80UD1ETT-E06
100	40	10 16 25 40	12.56 kg	SSB10UD1ATT-E06
100	60	10 16	13.46 kg	SSB10UD1CTT-E06
100	80	10 16 25 40	15.16 kg	SSB10UD1ETT-E06
100	100	10 16	16.96 kg	SSB10UD1FTT-E06
125	60	10 16	15.86 kg	SSB12UD1CTT-E06
125	80	10 16 25 40	17.46 kg	SSB12UD1ETT-E06
125	100	10 16	19.16 kg	SSB12UD1FTT-E06
125	125	10 16	23.66 kg	SSB12UD1GTT-E06
150	40	10 16 25 40	17.98 kg	SSB15UD1ATT-E06
150	60	10 16	18.88 kg	SSB15UD1CTT-E06
150	80	10 16 25 40	20.48 kg	SSB15UD1ETT-E06
150	100	10 16	22.28 kg	SSB15UD1FTT-E06
150	150	10 16	30.38 kg	SSB15UD1JTT-E06
200	60	10 16	27.24 kg	SSB20UD1CTT-E06
200	80	10 16 25 40	28.24 kg	SSB20UD1ETT-E06
200	100	10 16	30.34 kg	SSB20UD1FTT-E06
200	150	10 16	36.14 kg	SSB20UD1JTT-E06
200	200	10	45.94 kg	SSB20UD1KTT-E06
200	200	16	45.84 kg	SSB20UD2KTT-E06
250	60	10 16	33.1 kg	SSB25UD1CTT2-E06
250	80	10 16 25 40	33 kg	SSB25UD1ETT2-E06
250	100	10 16	34.5 kg	SSB25UV1FTT2-E06
250	150	10 16	40.7 kg	SSB25UD1JTT2-E06
250	200	10	48.7 kg	SSB25UD1KTT2-E06
250	200	16	48.9 kg	SSB25UD2KTT2-E06
250	250	10	57.5 kg	SSB25UD1LTT2-E06
250	250	16	57.5 kg	SSB25UD2LTT2-E06
300	60	10 16	44.32 kg	SSB30UD1CTT2-E06
300	80	10 16 25 40	44.12 kg	SSB30UD1ETT2-E06
300	100	10 16	44.42 kg	SSB30UV1FTT2-E06
300	150	10 16	51.42 kg	SSB30UD1JTT2-E06
300	200	10	60.92 kg	SSB30UD1KTT2-E06

DN	Ø dn	PN	Poids de l'ensemble	Référence
300	200	16	61.12 kg	SSB30UD2KTT2-E06
300	250	16	70.52 kg	SSB30UD2LTT2-E06
300	300	10	81.72 kg	SSB30UD1MTT2-E06
300	300	16	81.22 kg	SSB30UD2MTT2-E06
350	60	10 16	51.55 kg	SSB35UD1CTT2-E06
350	60	25 40	51.55 kg	SSB35UD3CTT2-E06
350	80	10 16 25 40	53.23 kg	SSB35UD1ETT2-E06
350	100	10 16	74.94 kg	SSB35UV1FTT2-E06
350	150	10 16	62.99 kg	SSB35UD1JTT2-E06
350	150	25 40	65.09 kg	SSB35UD3JTT2-E06
350	200	10	69.64 kg	SSB35UD1KTT2-E06
350	200	16	69.84 kg	SSB35UD2KTT2-E06
350	200	25	71.14 kg	SSB35UD3KTT2-E06
350	250	10	81.64 kg	SSB35UD1LTT2-E06
350	250	16	81.64 kg	SSB35UD2LTT2-E06
350	300	10	87.94 kg	SSB35UD1MTT2-E06
350	300	16	87.44 kg	SSB35UD2MTT2-E06
350	350	10	134.14 kg	SSB35UD1YTT2-E06
350	350	16	136.94 kg	SSB35UD2YTT2-E06
400	80	10 16 25 40	62.84 kg	SSB40UD1ETT2-E06
400	100	10 16	70.67 kg	SSB40UV1FTT2-E06
400	150	10 16	72.14 kg	SSB40UD1JTT2-E06
400	200	10	81.07 kg	SSB40UD1KTT2-E06
400	200	16	81.28 kg	SSB40UD2KTT2-E06
400	250	10	94.4 kg	SSB40UD1LTT2-E06
400	250	16	94.4 kg	SSB40UD2LTT2-E06
400	250	25	97.13 kg	SSB40UD3LTT2-E06
400	300	10	101.23 kg	SSB40UD1MTT2-E06
400	300	16	100.7 kg	SSB40UD2MTT2-E06
400	400	10	123.43 kg	SSB40UD1NTT2-E06
400	400	16	130 kg	SSB40UD2NTT2-E06
400	400	25	139.45 kg	SSB40UD3NTT2-E06
450	100	10 16	82.61 kg	SSB45UV1FTT2-E06
450	100	25 40	83.98 kg	SSB45UV3FTT2-E06

DN	Ø dn	PN	Poids de l'ensemble	Référence
450	150	10 16	91.33 kg	SSB45UD1JTT2-E06
450	150	25 40	93.43 kg	SSB45UD3JTT2-E06
450	450	10	205.7 kg	SSB45UD1PTT-E06
450	450	16	211.7 kg	SSB45UD2PTT-E06
500	100	10 16	94.15 kg	SSB50UV1FTT2-E06
500	100	25 40	95.51 kg	SSB50UV3FTT2-E06
500	150	10 16	137.62 kg	SSB50UD1JTT-E06
500	200	10	114.22 kg	SSB50UD1KTT2-E06
500	200	16	114.42 kg	SSB50UD2KTT2-E06
500	200	25	115.82 kg	SSB50UD3KTT2-E06
500	250	10	155.02 kg	SSB50UD1LTT-E06
500	300	16	193.42 kg	SSB50UD2MTT-E06
500	400	10	164.52 kg	SSB50UD1NTT2-E06
500	400	16	169.22 kg	SSB50UD2NTT2-E06
500	500	10	261.73 kg	SSB50UD1QTT2-E06
500	500	16	275.38 kg	SSB50UD2QTT2-E06
600	100	10 16	130.06 kg	SSB60UV1FTT2-E06
600	100	25 40	131.46 kg	SSB60UV3FTT2-E06
600	150	10 16	175.56 kg	SSB60UD1JTT-E06
600	200	10	170.1 kg	SSB60UV1KTT2-E06
600	200	25	184.28 kg	SSB60UV3KTT2-E06
600	300	10	237.86 kg	SSB60UD1MTT-E06
600	400	10	215.56 kg	SSB60UD1NTT2-E06
600	400	16	220.56 kg	SSB60UD2NTT2-E06

### Bride Emboîtement Standard


DN	PN	Poids de l'ensemble	Référence
60	10 16	6.06 kg	SSA60BE10TT-E06
80	10 16 25 40	7.41 kg	SSA80BE10TT-E06
100	10 16	8.98 kg	SSB10BE10TT-E06
100	25 40	10.28 kg	SSB10BE30TT-E06
125	10 16	11.33 kg	SSB12BE10TT-E06
150	10 16	14.24 kg	SSB15BE10TT-E06
150	25 40	15.24 kg	SSB15BE30TT-E06
200	10	21.02 kg	SSB20BE10TT-E06

DN	PN	Poids de l'ensemble	Référence
200	16	20.92 kg	SSB20BE20TT-E06
200	25	24.12 kg	SSB20BE30TT-E06
250	10	32.15 kg	SSB25BE10TT-E06
250	16	31.75 kg	SSB25BE20TT-E06
250	25	34.75 kg	SSB25BE30TT-E06
300	10	43.31 kg	SSB30BE10TT-E06
300	16	42.61 kg	SSB30BE20TT-E06
300	25	46.21 kg	SSB30BE30TT-E06
350	10	51.24 kg	SSB35BE10TT2-E06
350	16	52.39 kg	SSB35BE20TT2-E06
350	25	58.27 kg	SSB35BE30TT2-E06
400	10	61.9 kg	SSB40BE10TT2-E06
400	16	66.63 kg	SSB40BE20TT2-E06
400	25	76.08 kg	SSB40BE30TT2-E06
450	10	73.23 kg	SSB45BE10TT2-E06
450	16	78.27 kg	SSB45BE20TT2-E06
450	25	88.45 kg	SSB45BE30TT2-E06
500	10	92.38 kg	SSB50BE10TT2-E06
500	16	106.03 kg	SSB50BE20TT2-E06
500	25	112.33 kg	SSB50BE30TT2-E06
600	10	126.42 kg	SSB60BE10TT2-E06
600	16	152.67 kg	SSB60BE20TT2-E06
600	25	155.82 kg	SSB60BE30TT2-E06
700	10	164.9 kg	SSB70BE10TT-E06

DN mm	Classe	PFA bar
60	C40	22
80	C40	16
100	C40	16
125	C40	16
150	C40	16
200	C40	16
250	C40	16

DN mm	Classe	PFA bar
300	C40	16
350	C30	16
400	C30	16
450	C30	13
500	C30	11
600	C30	10
700	C25	10

## Produits associés



Bague de joint STD Vi pour  
Tuyaux et Raccords  
DN60-700