


## Ensemble Bride Emboîtement Standard PECB + Joint Standard




| DN     | PN          | Poids de l'ensemble | Référence        |
|--------|-------------|---------------------|------------------|
| 60 mm  | 10 16       | 6.01 kg             | SSA60BE10TT-E00  |
| 80 mm  | 10 16 25 40 | 7.35 kg             | SSA80BE10TT-E00  |
| 100 mm | 10 16       | 8.9 kg              | SSB10BE10TT-E00  |
| 100 mm | 25 40       | 10.2 kg             | SSB10BE30TT-E00  |
| 125 mm | 10 16       | 11.24 kg            | SSB12BE10TT-E00  |
| 150 mm | 10 16       | 14.09 kg            | SSB15BE10TT-E00  |
| 150 mm | 25 40       | 15.09 kg            | SSB15BE30TT-E00  |
| 200 mm | 10          | 20.78 kg            | SSB20BE10TT-E00  |
| 200 mm | 16          | 20.68 kg            | SSB20BE20TT-E00  |
| 200 mm | 25          | 23.88 kg            | SSB20BE30TT-E00  |
| 250 mm | 10          | 31.8 kg             | SSB25BE10TT-E00  |
| 250 mm | 16          | 31.4 kg             | SSB25BE20TT-E00  |
| 250 mm | 25          | 34.4 kg             | SSB25BE30TT-E00  |
| 300 mm | 10          | 42.71 kg            | SSB30BE10TT-E00  |
| 300 mm | 16          | 42.01 kg            | SSB30BE20TT-E00  |
| 300 mm | 25          | 45.61 kg            | SSB30BE30TT-E00  |
| 350 mm | 10          | 50.57 kg            | SSB35BE10TT2-E00 |
| 350 mm | 16          | 51.72 kg            | SSB35BE20TT2-E00 |
| 350 mm | 25          | 57.6 kg             | SSB35BE30TT2-E00 |
| 400 mm | 10          | 61.14 kg            | SSB40BE10TT2-E00 |
| 400 mm | 16          | 65.87 kg            | SSB40BE20TT2-E00 |
| 400 mm | 25          | 75.32 kg            | SSB40BE30TT2-E00 |

| DN      | PN | Poids de l'ensemble | Référence        |
|---------|----|---------------------|------------------|
| 450 mm  | 10 | 72.2 kg             | SSB45BE10TT2-E00 |
| 450 mm  | 16 | 77.24 kg            | SSB45BE20TT2-E00 |
| 450 mm  | 25 | 87.42 kg            | SSB45BE30TT2-E00 |
| 500 mm  | 10 | 91.21 kg            | SSB50BE10TT2-E00 |
| 500 mm  | 16 | 104.86 kg           | SSB50BE20TT2-E00 |
| 500 mm  | 25 | 111.16 kg           | SSB50BE30TT2-E00 |
| 600 mm  | 10 | 124.8 kg            | SSB60BE10TT2-E00 |
| 600 mm  | 16 | 151.05 kg           | SSB60BE20TT2-E00 |
| 600 mm  | 25 | 154.2 kg            | SSB60BE30TT2-E00 |
| 700 mm  | 10 | 163.87 kg           | SSB70BE10TT-E00  |
| 700 mm  | 16 | 168.87 kg           | SSB70BE20TT-E00  |
| 700 mm  | 25 | 198.87 kg           | SSB70BE30TT-E00  |
| 800 mm  | 10 | 214.67 kg           | SSB80BE10TT-E00  |
| 800 mm  | 16 | 223.67 kg           | SSB80BE20TT-E00  |
| 800 mm  | 25 | 277.67 kg           | SSB80BE30TT-E00  |
| 1000 mm | 10 | 347.59 kg           | SSC10BE10TT-E00  |
| 1000 mm | 16 | 364.59 kg           | SSC10BE20TT-E00  |
| 1000 mm | 25 | 347.59 kg           | SSC10BE30TT-E00  |

| DN<br>mm | Classe | PFA<br>bar |
|----------|--------|------------|
| 60       | C40    | 40         |
| 80       | C40    | 40         |
| 100      | C40    | 40         |
| 125      | C40    | 40         |
| 150      | C40    | 40         |
| 200      | C40    | 40         |
| 250      | C40    | 40         |
| 300      | C40    | 40         |
| 350      | C30    | 30         |
| 400      | C30    | 30         |
| 450      | C30    | 30         |
| 500      | C30    | 30         |
| 600      | C30    | 30         |

| DN<br>mm | Classe | PFA<br>bar |
|----------|--------|------------|
| 700      | C25    | 25         |
| 800      | C25    | 25         |
| 900      | C25    | 25         |
| 1000     | C25    | 25         |
| 1100     | C25    | 25         |
| 1200     | C25    | 25         |
| 1400     | C25    | 25         |
| 1500     | C25    | 25         |
| 1600     | C25    | 25         |
| 1800     | C25    | 25         |
| 2000     | C25    | 25         |

## Produits associés



Bague de joint Standard  
pour Tuyaux et Raccords  
DN60-2000