


Accessory for ELANCIO



Height	Length	Width	Mass	References
169 mm	321 mm	314 mm	0.89 kg	215586

Field of use



Restoration of the old PAM Pillar Fire Hydrant with ELANCIO cover.

HYDRO, non traffic, 1969-1982

H1 > 780 and < 940

or

H2 > 755 and < 915

To lay out the accessory (which can be cut) between the base of the cover and the ground.

For H1 > 940 or H2 > 915, an additional backfill under the accessory is necessary.

AJAX, non traffic, with square base, 1969-1982



$H1 > 810$ and < 970

ou

$H2 > 755$ and < 915

To lay out the accessory (which can be cut) between the base of the cover and the ground.
For $H1 > 970$ or $H2 > 915$, an additional backfill under the accessory is necessary.

TRI, non traffic, 1969-1982



$H1 > 755$ and < 915

To lay out the accessory (which can be cut) between the base of the cover and the ground.
For $H1 > 915$, an additional backfill under the accessory is necessary.

ATLAS, non traffic and traffic, without adjustment box





$H1 > 755$ and < 915

To lay out the accessory (which can be cut) between the base of the cover and the ground.
For $H1 > 915$, an additional backfill under the accessory is necessary.

Laying



Depending on the height of the ELANCIO cover with the ground level, H dimension, it will be possible to lay an accessory between the base of the cover and the ground.



According to H Either the accessory can be buried in the ground, Or it can be cut by section of 40 mm if the ground is very hard.

The accessory consists of 2 elements. Each element will be laid on each side of the body of the fire hydrant and then they will be joined together.

After assembly the accessory must be correctly oriented. The lower part of the cover must be laid on the corresponding shape on the accessory.

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.