


Ductile iron Connexion Box DN150 - Expandable with PVC DE315



DN (mm)	DN saddle branch	ØDE iron (mm)	ØDE PVC (mm)	P (mm)	H (mm)	Lt (mm)	Ødi1 (mm)	p1 (mm)	Øde2 maxi (mm)	Mass (kg)	References
300	150 mm	327.5	315	126	370	590	149	100	171.5	38.60	TUM31BS0J



Field of use:


- Separate sewer system
- Application: gravity flow
- Type of effluent: wastewater
- Lastingly leak tight and impermeable
- Laying in all types of soils

- For effluents between pH1 and pH13

Main characteristics:

- External and internal coating: red epoxy powder 250µm (PECR)
- IM Gasket in Nitrile
- Fittings and joints are supplied in red-brown polyethylene bag
- EN 598 / CE Marking
- Declaration of performances [DoP-BIOGAN002EN](#)
- Designed according to the regulatory texts:
 - NF EN 476: general prescriptions for components used in the networks
 - NF EN 752: Conception of sewage projects
 - NF EN 1610: Reception of the works
 - CCTG: Fascicule 70 (sewage work)
- Body in ductile iron
- Joint DE 315 in NBR
- Enables the identification and use of the connection
- Joint DE 315 allows a connection PVC pipe
- For installation:
 - upstream: connection with a ductile iron pipe DN150 or with a PVC pipe OD125 or OD100 ; in that case plan to order [a reduction joint reference TXB15NBF or TXB15NBG](#)
 - downstream: connection is possible with a BIOGAN pipe or an INTEGRAL pipe DN150

Installation with a PVC tube DN100 or 125 upstream



ØDE PVC mm	H mm	Lt mm	p2 mm	OD piquage mm	Ødi2 maxi mm	Ødi3 (range of diameter) mm	References mm
315	370	590	94	100	133	100-112	TUM31BS0J + TXB15NBF
315	370	590	94	125	133	120-130	TUM31BS0J + TXB15NBG

Linked products



Reduction Joint for
Connection Chamber

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.