


Heat-shrink Collar for TT PE Standard et Universal - Roll



Protection of joints of pipes and fittings DN150 to 2000

Type	Product label	Packaging	Mass (kg)	References
HEPS-C30-24x100-RL	Heat-shrink	30m long roll	30.00	158030
WPCP-IV-8x24K	Closing sleeve	Box of 25	6.00	158098

DN	Type	Product label	L	ZL	I	Packaging	Number
mm			mm	mm	mm		
150	MEPS-C30-12x100-RL	Heat-shrink	300	845	-	30m long roll	35
150	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
200	MEPS-C30-12x100-RL	Heat-shrink	300	1040	-	30m long roll	28
200	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
250	MEPS-C30-12x100-RL	Heat-shrink	300	1220	-	30m long roll	24
250	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
300	MEPS-C30-12x100-RL	Heat-shrink	300	1400	-	30m long roll	21
300	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
350	MEPS-C30-12x100-RL	Heat-shrink	300	1580	-	30m long roll	18
350	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
400	MEPS-C30-12x100-RL	Heat-shrink	300	1740	-	30m long roll	17
400	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
450	MEPS-C30-12x100-RL	Heat-shrink	300	1740	-	30m long roll	17

DN	Type	Product label	L	ZL	I	Packaging	Number
mm			mm	mm	mm		
450	WPCP-IV-6x12K	Closing sleeve	300	-	150	Box of 25	-
500	MEPS-C30-12x100-RL	Heat-shrink	300	1900	-	30m long roll	15
500	WPCP-IV-8x12K	Closing sleeve	300	-	200	Box of 25	-
600	MEPS-C30-12x100-RL	Heat-shrink	450	2450	-	30m long roll	12
600	WPCP-IV-8x17K	Closing sleeve	450	-	200	Box of 25	-
700	MEPS-C30-12x100-RL	Heat-shrink	450	2790	-	30m long roll	10
700	WPCP-IV-8x17K	Closing sleeve	450	-	200	Box of 25	-
800	HEPS-C30-24x100-RL	Heat-shrink	600	3200	-	30m long roll	9
800	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
900	HEPS-C30-24x100-RL	Heat-shrink	600	3500	-	30m long roll	8
900	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1000	HEPS-C30-24x100-RL	Heat-shrink	600	3830	-	30m long roll	7
1000	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1100	HEPS-C30-24x100-RL	Heat-shrink	600	4100	-	30m long roll	7
1100	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1200	HEPS-C30-24x100-RL	Heat-shrink	600	4450	-	30m long roll	6
1200	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1400	HEPS-C30-24x100-RL	Heat-shrink	600	5100	-	30m long roll	5
1400	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1600	HEPS-C30-24x100-RL	Heat-shrink	600	6000	-	30m long roll	5
1600	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
1800	HEPS-C30-24x100-RL	Heat-shrink	600	6500	-	30m long roll	4
1800	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-
2000	HEPS-C30-24x100-RL	Heat-shrink	600	7100	-	30m long roll	4
2000	WPCP-IV-8x24K	Closing sleeve	600	-	200	Box of 25	-

Dimensions are as follows:

- L = roll width and length of the closing sleeve
- ZL = length to be cut in the roll for a joint
- I = width of the closure sleeve

The columns "quantity" indicates the number of workable joints with 1 roll.
The given reference is for 1 roll or 1 box.

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.