

## Butterfly valves - Handwheel



Ø handwheel (mm)	Ø keyed (mm)	Mass (kg)	References
200	16	0.75	171383
250	20	3.60	286296
500	20	3.80	162201
500	30	5.60	162224
500	20	4.50	162202

### References for manually operated butterfly valves

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
10	150 → 300	200	16	Manually	171383
10	350 → 500	250	20	Manually	286296
10	600 → 1200	400	20	Manually	162201
10	1400 → 1600	500	30	Manually	162224
10	1800	500	20	Manually	162201
10	2000	800	30	Manually	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
16	150 → 250	200	16	Manually	171383
16	300 → 450	250	20	Manually	286296
16	500 → 1000	400	20	Manually	162201
16	1200	500	30	Manually	162224

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
16	1400 → 1600	500	20	Manually	162202
16	1800 → 2000	800	30	Manually	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
25	150 → 200	200	16	Manually	171383
25	250 → 350	250	20	Manually	286296
25	400 → 900	400	20	Manually	162201
25	1000	500	30	Manually	162224
25	1200 → 1400	500	20	Manually	162202
25	1500 → 1600	800	30	Manually	please contact us

## References for motorizable butterfly valves

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
10	150 → 300	200	16	Motorizable	171383
10	350 → 400	250	20	Motorizable	286296
10	450 → 1200	400	20	Motorizable	162201
10	1400 → 1600	500	30	Motorizable	162224
10	1800	400	20	Motorizable	162201
10	2000	800	30	Motorizable	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
16	150 → 250	200	16	Motorizable	171383
16	300 → 350	250	20	Motorizable	286296
16	400 → 1000	400	20	Motorizable	162201
16	1200	500	30	Motorizable	162224
16	1400 → 1600	400	20	Motorizable	162201
16	1800 → 2000	800	30	Motorizable	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
25	150 → 200	200	16	Motorizable	171383
25	250 → 300	250	20	Motorizable	286296
25	350 → 900	400	20	Motorizable	162201
25	1000	500	30	Motorizable	162224
25	1200 → 1400	500	20	Motorizable	162201
25	1500 → 1600	800	30	Motorizable	please contact us

## References for buried butterfly valves

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
10	150 → 500	250	20	Buried	286296
10	600 → 1200	400	20	Buried	162201
10	1400 → 1600	500	30	Buried	162224
10	1800	500	20	Buried	162202
10	2000	800	30	Buried	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
16	150 → 450	250	20	Buried	286296
16	500 → 1000	400	20	Buried	162201
16	1200	500	30	Buried	162224
16	1400 → 1600	500	20	Buried	162202
16	1800 → 2000	800	30	Buried	please contact us

PN bar	DN	Ø handwheel mm	Ø keyed mm	Version	References
25	150 → 350	250	20	Buried	286296
25	400 → 900	400	20	Buried	162201
25	1000	500	30	Buried	162224
25	1200 → 1400	500	20	Buried	162202
25	1500 → 1600	800	30	Buried	please contact us

*The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.*