


Hydraulic manhole cover AKSESS 300 and 400 B125 class - Non locked



Type	AxA (mm)	OxO (mm)	A1xA2 (mm)	C1xC2 (mm)	H (mm)	h (mm)	Total Mass (kg)	Cover mass (kg)	Packaging	Marking	References
300	310x310	220x220	295x292	280x278	37	31	8.20	4.9	10 / 60	Standard	CBAK30HF
300	310x310	220x220	295x292	280x278	37	31	8.20	4.9	10 / 60	EU	CBAK30HFEUS
400	410x410	300x300	383x375	368x359	37	31	11.80	7.3	10 / 60	Standard	CBAK40HF
400	410x410	300x300	383x375	368x359	37	31	11.80	7.3	10 / 60	EU	CBAK40HFEUS



Material and coating:

- Frame and cover in Ductile Iron EN GJS 400-15: water base coating

Field of application:

- B125 class (Group 2) according to standard EN124-2, footways, pedestrian areas and comparable areas, car parks and car parking decks.


Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- "Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".»


Main characteristics:

- Single seal hydraulic manhole cover
- [Non-rock system ensuring the stability of the cover in its frame](#)
- [Frame with notched flange enabling an effective bedding](#)
- [Easy and ergonomic handling with hinged or slid opening](#)
- Locked version being the object of a specific reference.


Linked products



Hydraulic manhole covers
AKSESS - Stability of the
covers



Hydraulic manhole covers
AKSESS - Bedding



Hydraulic manhole covers
AKSESS and PARXESS -
Ergonomics - Handling

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.