


Kit Standard Fitting PECB + Standard Vi Gasket



Standard Double Socket Bends

DN	Weight of Kit	References
60	6.52 kg	SSA60CA00TT-E06
60	6.82 kg	SSA60CB00TT-E06
60	5.22 kg	SSA60CD00TT-E06
60	5.42 kg	SSA60CE00TT-E06
80	8.02 kg	SSA80CA00TT-E06
80	7.42 kg	SSA80CB00TT-E06
80	6.62 kg	SSA80CD00TT-E06
80	6.92 kg	SSA80CE00TT-E06
100	10.56 kg	SSB10CA00TT-E06
100	9.46 kg	SSB10CB00TT-E06
100	8.36 kg	SSB10CD00TT-E06
100	8.46 kg	SSB10CE00TT-E06
125	12.96 kg	SSB12CB00TT-E06
125	10.56 kg	SSB12CD00TT-E06
125	10.96 kg	SSB12CE00TT-E06
150	18.98 kg	SSB15CA00TT-E06
150	16.48 kg	SSB15CB00TT-E06
150	13.08 kg	SSB15CD00TT-E06
150	13.48 kg	SSB15CE00TT-E06
200	30.44 kg	SSB20CA00TT-E06
200	24.94 kg	SSB20CB00TT-E06

DN	Weight of Kit	References
200	20.14 kg	SSB20CD00TT-E06
200	20.44 kg	SSB20CE00TT-E06
250	51.3 kg	SSB25CA00TT-E06
250	42.2 kg	SSB25CB00TT-E06
250	33.9 kg	SSB25CD00TT-E06
250	32.2 kg	SSB25CE00TT-E06
300	75.32 kg	SSB30CA00TT-E06
300	61.62 kg	SSB30CB00TT-E06
300	44.82 kg	SSB30CD00TT-E06
300	42.32 kg	SSB30CE00TT-E06
350	73.5 kg	SSB35CA00TT2-E51
350	62.06 kg	SSB35CB00TT2-E06
350	44.84 kg	SSB35CD00TT2-E06
350	41.84 kg	SSB35CE00TT2-E06
400	95.78 kg	SSB40CA00TT2-E06
400	78.28 kg	SSB40CB00TT2-E06
400	62.88 kg	SSB40CD00TT2-E06
400	54.38 kg	SSB40CE00TT2-E06
450	90.5 kg	SSB45CB00TT2-E06
450	72.5 kg	SSB45CD00TT2-E06
500	124.52 kg	SSB50CB00TT2-E06
500	97.12 kg	SSB50CD00TT2-E06
500	76.62 kg	SSB50CE00TT2-E06
500	153.42 kg	SSB50CA00TT2-E06
600	318.56 kg	SSB60CA00TT-E06
600	183.76 kg	SSB60CB00TT2-E06
600	139.46 kg	SSB60CD00TT2-E06
600	108.86 kg	SSB60CE00TT2-E06
700	591.8 kg	SSB70CA00TT-E06
700	318.3 kg	SSB70CB00TT-E06
700	238.4 kg	SSB70CD00TT-E06
700	204.8 kg	SSB70CE00TT-E06

Standard Double Socket Tapers

DN	Ø dn	Weight of Kit	References
100	80	7.99 kg	SSB10VEOETT-E06
150	60	11.8 kg	SSB15VEOCTT-E06
150	100	11.82 kg	SSB15VEOFTT-E06
200	100	18.2 kg	SSB20VEOFTT-E06
200	150	17.76 kg	SSB20VEOJTT-E06
250	125	24.58 kg	SSB25VEOGTT2-E06
250	150	24.49 kg	SSB25VEOJTT2-E06
250	200	23.67 kg	SSB25VEOKTT2-E06
300	250	32.66 kg	SSB30VEOLT2-E06
350	200	42.19 kg	SSB35VEOKTT2-E06
350	250	41.72 kg	SSB35VEOLT2-E06
350	300	43.61 kg	SSB35VEOMTT2-E06
400	250	67.69 kg	SSB40VEOLT2-E06
400	300	50.75 kg	SSB40VEOMTT2-E06
400	350	72.41 kg	SSB40VEOYTT-E06
450	300	67.56 kg	SSB45VEOMTT2-E06
450	400	73.39 kg	SSB45VEONTT-E06
500	400	75.85 kg	SSB50VEONTT2-E06
600	500	106.89 kg	SSB60VEOQTT2-E06

Standard All Socket Tee

DN	Ø dn	Weight of Kit	References
80	80	11.83 kg	SSA80TEOETT-E06
100	100	15.74 kg	SSB10TEOFTT-E06
150	100	20.96 kg	SSB15TEOFTT-E06
150	150	28.32 kg	SSB15TEOJTT-E06
200	150	33.98 kg	SSB20TEOJTT-E06
200	200	42.56 kg	SSB20TEOKTT-E06
250	250	52.25 kg	SSB25TEOLT2-E06

Standard Double Socket Tee

DN	Ø dn	PN	Weight of Kit	References
60	60	10 16	10.02 kg	SSA60UD1CTT-E06

DN	Ø dn	PN	Weight of Kit	References
80	40	10 16 25 40	10.62 kg	SSA80UD1ATT-E06
80	60	10 16	11.52 kg	SSA80UD1CTT-E06
80	80	10 16 25 40	12.92 kg	SSA80UD1ETT-E06
100	40	10 16 25 40	12.56 kg	SSB10UD1ATT-E06
100	60	10 16	13.46 kg	SSB10UD1CTT-E06
100	80	10 16 25 40	15.16 kg	SSB10UD1ETT-E06
100	100	10 16	16.96 kg	SSB10UD1FTT-E06
125	60	10 16	15.86 kg	SSB12UD1CTT-E06
125	80	10 16 25 40	17.46 kg	SSB12UD1ETT-E06
125	100	10 16	19.16 kg	SSB12UD1FTT-E06
125	125	10 16	23.66 kg	SSB12UD1GTT-E06
150	40	10 16 25 40	17.98 kg	SSB15UD1ATT-E06
150	60	10 16	18.88 kg	SSB15UD1CTT-E06
150	80	10 16 25 40	20.48 kg	SSB15UD1ETT-E06
150	100	10 16	22.28 kg	SSB15UD1FTT-E06
150	150	10 16	30.38 kg	SSB15UD1JTT-E06
200	60	10 16	27.24 kg	SSB20UD1CTT-E06
200	80	10 16 25 40	28.24 kg	SSB20UD1ETT-E06
200	100	10 16	30.34 kg	SSB20UD1FTT-E06
200	150	10 16	36.14 kg	SSB20UD1JTT-E06
200	200	10	45.94 kg	SSB20UD1KTT-E06
200	200	16	45.84 kg	SSB20UD2KTT-E06
250	60	10 16	33.1 kg	SSB25UD1CTT2-E06
250	80	10 16 25 40	33 kg	SSB25UD1ETT2-E06
250	100	10 16	34.5 kg	SSB25UV1FTT2-E06
250	150	10 16	40.7 kg	SSB25UD1JTT2-E06
250	200	10	48.7 kg	SSB25UD1KTT2-E06
250	200	16	48.9 kg	SSB25UD2KTT2-E06
250	250	10	57.5 kg	SSB25UD1LTT2-E06
250	250	16	57.5 kg	SSB25UD2LTT2-E06
300	60	10 16	44.32 kg	SSB30UD1CTT2-E06
300	80	10 16 25 40	44.12 kg	SSB30UD1ETT2-E06
300	100	10 16	44.42 kg	SSB30UV1FTT2-E06
300	150	10 16	51.42 kg	SSB30UD1JTT2-E06
300	200	10	60.92 kg	SSB30UD1KTT2-E06

DN	Ø dn	PN	Weight of Kit	References
300	200	16	61.12 kg	SSB30UD2KTT2-E06
300	250	16	70.52 kg	SSB30UD2LTT2-E06
300	300	10	81.72 kg	SSB30UD1MTT2-E06
300	300	16	81.22 kg	SSB30UD2MTT2-E06
350	60	10 16	51.55 kg	SSB35UD1CTT2-E06
350	60	25 40	49.22 kg	SSB35UD3CTT2-E06
350	80	10 16 25 40	50.81 kg	SSB35UD1ETT2-E06
350	100	10 16	74.94 kg	SSB35UV1FTT2-E06
350	150	10 16	60.1 kg	SSB35UD1JTT2-E06
350	150	25 40	62.14 kg	SSB35UD3JTT2-E06
350	200	10	66.44 kg	SSB35UD1KTT2-E06
350	200	16	66.64 kg	SSB35UD2KTT2-E06
350	200	25	67.92 kg	SSB35UD3KTT2-E06
350	250	10	77.94 kg	SSB35UD1LTT2-E06
350	250	16	77.94 kg	SSB35UD2LTT2-E06
350	300	10	83.94 kg	SSB35UD1MTT2-E06
350	300	16	83.44 kg	SSB35UD2MTT2-E06
350	350	10	134.14 kg	SSB35UD1YTT2-E06
350	350	16	136.94 kg	SSB35UD2YTT2-E06
400	80	10 16 25 40	63.94 kg	SSB40UD1ETT2-E06
400	100	10 16	62.08 kg	SSB40UV1FTT2-E06
400	150	10 16	68.84 kg	SSB40UD1JTT2-E06
400	200	10	77.38 kg	SSB40UD1KTT2-E06
400	200	16	77.58 kg	SSB40UD2KTT2-E06
400	250	10	90.08 kg	SSB40UD1LTT2-E06
400	250	16	90.08 kg	SSB40UD2LTT2-E06
400	250	25	92.58 kg	SSB40UD3LTT2-E06
400	300	10	96.58 kg	SSB40UD1MTT2-E06
400	300	16	95.78 kg	SSB40UD2MTT2-E06
400	400	10	117.64 kg	SSB40UD1NTT2-E06
400	400	16	123.98 kg	SSB40UD2NTT2-E06
400	400	25	132.98 kg	SSB40UD3NTT2-E06
450	100	10 16	78.9 kg	SSB45UV1FTT2-E06
450	100	25 40	80.14 kg	SSB45UV3FTT2-E06
450	150	10 16	87.16 kg	SSB45UD1JTT2-E06

DN	Ø dn	PN	Weight of Kit	References
450	150	25 40	89.2 kg	SSB45UD3JTT2-E06
450	450	10	205.7 kg	SSB45UD1PTT-E06
450	450	16	211.7 kg	SSB45UD2PTT-E06
500	100	10 16	90.22 kg	SSB50UV1FTT2-E06
500	100	25 40	91.46 kg	SSB50UV3FTT2-E06
500	150	10 16	137.62 kg	SSB50UD1JTT-E06
500	200	10	109.02 kg	SSB50UD1KTT2-E06
500	200	16	109.22 kg	SSB50UD2KTT2-E06
500	200	25	110.5 kg	SSB50UD3KTT2-E06
500	250	10	155.02 kg	SSB50UD1LTT-E06
500	300	16	193.42 kg	SSB50UD2MTT-E06
500	400	10	156.92 kg	SSB50UD1INTT2-E06
500	400	16	161.42 kg	SSB50UD2NTT2-E06
500	500	10	211.52 kg	SSB50UD1QTT2-E06
500	500	16	275.38 kg	SSB50UD2QTT2-E06
600	100	10 16	130.06 kg	SSB60UV1FTT2-E06
600	100	25 40	125.5 kg	SSB60UV3FTT2-E06
600	150	10 16	175.56 kg	SSB60UD1JTT-E06
600	200	10	170.1 kg	SSB60UV1KTT2-E06
600	200	25	184.28 kg	SSB60UV3KTT2-E06
600	300	10	237.86 kg	SSB60UD1MTT-E06
600	400	10	201.66 kg	SSB60UD1INTT2-E06
600	400	16	206.16 kg	SSB60UD2NTT2-E06

Standard Flanged Socket


DN	PN	Weight of Kit	References
60	10 16	6.06 kg	SSA60BE10TT-E06
80	10 16 25 40	7.41 kg	SSA80BE10TT-E06
100	10 16	8.98 kg	SSB10BE10TT-E06
100	25 40	10.28 kg	SSB10BE30TT-E06
125	10 16	11.33 kg	SSB12BE10TT-E06
150	10 16	14.24 kg	SSB15BE10TT-E06
150	25 40	15.24 kg	SSB15BE30TT-E06
200	10	21.02 kg	SSB20BE10TT-E06

DN	PN	Weight of Kit	References
200	16	20.92 kg	SSB20BE20TT-E06
200	25	24.12 kg	SSB20BE30TT-E06
250	10	32.15 kg	SSB25BE10TT-E06
250	16	31.75 kg	SSB25BE20TT-E06
250	25	34.75 kg	SSB25BE30TT-E06
300	10	43.31 kg	SSB30BE10TT-E06
300	16	42.61 kg	SSB30BE20TT-E06
300	25	46.21 kg	SSB30BE30TT-E06
350	10	48.87 kg	SSB35BE10TT2-E06
350	16	49.97 kg	SSB35BE20TT2-E06
350	25	55.55 kg	SSB35BE30TT2-E06
400	10	59.04 kg	SSB40BE10TT2-E06
400	16	63.54 kg	SSB40BE20TT2-E06
400	25	72.54 kg	SSB40BE30TT2-E06
450	10	69.85 kg	SSB45BE10TT2-E06
450	16	74.65 kg	SSB45BE20TT2-E06
450	25	84.35 kg	SSB45BE30TT2-E06
500	10	88.11 kg	SSB50BE10TT2-E06
500	16	101.11 kg	SSB50BE20TT2-E06
500	25	107.11 kg	SSB50BE30TT2-E06
600	10	120.38 kg	SSB60BE10TT2-E06
600	16	145.58 kg	SSB60BE20TT2-E06
600	25	148.58 kg	SSB60BE30TT2-E06
700	10	164.9 kg	SSB70BE10TT-E06

DN	Class	PFA
mm		bar
60	C40	22
80	C40	16
100	C40	16
125	C40	16
150	C40	16

DN	Class	PFA
mm		bar
200	C40	16
250	C40	16
300	C40	16
350	C30	16
400	C30	16
450	C30	13
500	C30	11
600	C30	10
700	C25	10

Linked products



STD Vi gasket for Pipes and Fittings DN60-700

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.