


Manhole cover PAMTIGHT 800 - D400 class Round frame



A (mm)	O (mm)	H (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Total Mass (kg)	Cover mass (kg)	Packaging	References
1060	820	100	989	880	94	49	196.00	66.5	1	CDPE80AZ

Material and coating:

- Frame and cover in Ductile Iron EN GJS 400-15 according to the standard ISO 1083 with bituminous coating
- Sound proof joint = PE
- Tightness joint = Elastomer

Field of application:

- D400 class (Group 4) in accordance with EN124-2:2015 standard: carriageways of roads (including pedestrian streets), hard shoulders and parking areas for all types of road vehicles.
- Occasional inspection.

Main characteristics:

- Compliance with EN124-2:2015 testified by SG PAM as the standard allows it
- 1 bar water tightness against positive/negative pressure
- [Fastening the lid through eight clamping claws of ductile iron, eight screws M16 x 1.5 mm stainless, tightening torque and sequence marked on cover](#)
- Eight metal clips that prevent the loosening of the screws on the traffic

Origine France Garantie


- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- *“Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin”.»*

Warning: PAMTIGHT's resistance to internal pressure implies that the bedding of the frame into the top of the chamber is achieved in such a way to also withstand this pressure.


Linked products



Polyethylene ring



Manhole cover
PAMTIGHT - D400 class -
Disassembling/
Reassembly of the cover



PAMTIGHT manhole
covers - Anti-rotation
clips

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.