


Square concave grating with frame - C250 class



AxA (mm)	A1 (mm)	CxC (mm)	OxO (mm)	H (mm)	h (mm)	Total Mass (kg)	Grating mass (kg)	Waterway area	Packaging	References
422x422	462	400x400	351x351	40	27	21.10	13.3	7.7 dm ²	10/50	ECGC40CF
523x523	563	500x500	450x450	40	27	31.10	21	11.8 dm ²	10/40	ECGC50CF
624x624	664	600x600	549x549	40	27	49.40	37	16.8 dm ²	10	ECGP60CF
725x725	765	700x700	647x647	42.5	27	74.50	58	20.2 dm ²	10	ECGP70CF
827x827	867	800x800	744x744	42.5	29	96.50	75	27.6 dm ²	10	ECGP80CF



Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- *“Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin”.»*

Field of application:

- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.
- Omnidirectional punctual collection.

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.