


Square flat grating with frame - C250 class



AxA (mm)	A1xA1 (mm)	CxC (mm)	OxO (mm)	H (mm)	h (mm)	Total Mass (kg)	Grating mass (kg)	Waterway area	Packaging	References
218x218		200x200	165x165	38	27	5.76	3.4	1.7 dm ²	1/200	ECGP20PF
269x269		250x250	215x215	38	27	8.34	5	2.4 dm ²	1/120	ECGP25PF
319x319		300x300	255x255	38	27	12.44	7.4	4.2 dm ²	1/100	ECGP30PF
422x422	462x462	400x400	351x351	38	27	21.30	13.7	7.7 dm ²	10	ECGP40PF
543x543	563x563	500x500	450x450	38	27	29.35	20.1	11.8 dm ²	10/40	ECGP56PF
624x624	664x664	600x600	549x549	38	27	47.61	35.6	16.8 dm ²	10	ECGP60PF
725x725	765x765	700x700	647x647	40.5	27	71.56	55.5	20.2 dm ²	10	ECGP70PF
827x827	867x867	800x800	744x744	43	27	91.36	70.9	27.6 dm ²	10	ECGP80PF



Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- “Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin”.»

Field of application:

- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.
- Omnidirectional punctual collection.

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.