



Certificate

Extension- N°21-140 of 21/04/2026
Expiry date : 31/01/2027 Page : 1/21

**NF - Gully tops
and manhole tops**

SAINT GOBAIN PAM

AVENUE VICTOR CLAUDE 54700 BLENOD LES PONT A MOUSSON FRANCE

The society **SAINT GOBAIN PAM** is authorized to use the NF mark, in application of the general rules of the NF mark and the specific rules NF- VOIRIE, on the gully tops and manhole tops indicated on the following pages.

This certificate attests that the indicated products have been assessed and are in compliance with the requirements of the standards below.

This decision has been taken after consulting the specific Committee of the NF-VOIRIE mark, taking into account the results of the internal controls of the company which have been confirmed by the tests carried out during the visits by the inspection body.

This certificate cancels and replaces all the previous certificates.

This right to use the NF mark is granted until the 31/01/2027, subject to the controls made by AFNOR Certification which can penalize the holder of the right to use the NF mark according to the general rules of the NF mark and to the specific rules NF VOIRIE.

Certified characteristics

Class
Vent area
Clear opening
Depth of insertion
Securing of cover / grating within frame
Frame bearing pressure
Frame depth
Opening angle
Water way area
Test loads and permanence set
Material
ISO 9001 quality system
Marking
Road tests

SignatureFournisseur

Julien NIZRI
Managing Director of AFNOR Certification



CERTI F 1332.6 072020

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
B125	CBTB25RF	Pavement range with square frame of 250	NF EN 124-1:2015 NF EN 124-2:2015	21-120-120
B125	CBTB30RF	Pavement range with square frame of 300	NF EN 124-1:2015 NF EN 124-2:2015	21-121-121
B125	CBTB40RF	Pavement range with square frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-50-50
B125	CBTB50CF	Pavement range with square frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-01-49
B125	CBTB60RF	Pavement range with square frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-46-46
B125	CBTB70RF	Pavement range with square frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-48-48
B125	CBTB80CF	Pavement range with square frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-79-78
B125	CBTB50RF	Pavement range with round frame - diameter 500	NF EN 124-1:2015 NF EN 124-2:2015	21-49-49
B125	CBTB80RF	Pavement range with round frame - diameter 800	NF EN 124-1:2015 NF EN 124-2:2015	21-78-78
B125	CBOP30CF	Pavement cover OPTEA 300 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-434-435
B125	CBOP40CF	Pavement cover OPTEA 400 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-436-437
B125	CBOP50CF	Pavement cover OPTEA 500 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-438-439
B125	CBOP60CF	Pavement cover OPTEA 600 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-440-441
B125	CCBR30SF	Height Adjustable inspection cover, for diameter 300 pipes	NF EN 124-1:2015 NF EN 124-2:2015	21-92-92
B125	CBAK30HF	Hydraulic manhole cover AKSESS with square frame of 300	NF EN 124-1:2015 NF EN 124-2:2015	21-187-187
B125	CBAK40HF	Hydraulic manhole cover AKSESS with square frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-188-188
B125	CBAK45HF	Hydraulic manhole cover AKSESS with square frame of 450	NF EN 124-1:2015 NF EN 124-2:2015	21-194-194
B125	CBAK50HF	Hydraulic manhole cover AKSESS with square frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-189-189

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECML20PF	MECALINEA Grating 750 X 200	NF EN 124-1:2015 NF EN 124-2:2015	21-00-124
B125	CBAK60HF	Hydraulic manhole cover AKSESS with square frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-190-190
B125	CBAK70HF	Hydraulic manhole cover AKSESS with square frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-191-191
B125	CBAK80HF	Hydraulic manhole cover AKSESS with square frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-192-192
B125	CBAK30HFX16	Hydraulic manhole cover AKSESS with square frame of 300 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-187-226
B125	CBAK40HFX16	Hydraulic manhole cover AKSESS with square frame of 400 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-188-227
B125	CBAK45HFX16	Hydraulic manhole cover AKSESS with square frame of 450 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-194-228
B125	CBAK50HFX16	Hydraulic manhole cover AKSESS with square frame of 500 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-189-229
B125	CBAK60HFX16	Hydraulic manhole cover AKSESS with square frame of 600 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-190-230
B125	CBAK70HFX16	Hydraulic manhole cover AKSESS with square frame of 700 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-191-231
B125	CBAK80HFX16	Hydraulic manhole cover AKSESS with square frame of 800 and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-192-232
B125	CBAK40CF	Hydraulic manhole cover AKSESS with square frame of 400 without paw anchorage	NF EN 124-1:2015 NF EN 124-2:2015	21-422-188
B125	CBAK50CF	Hydraulic manhole cover AKSESS with square frame of 500 without paw anchorage	NF EN 124-1:2015 NF EN 124-2:2015	21-423-189
B125	CBAK60CF	Hydraulic manhole cover AKSESS with square frame of 600 without paw anchorage	NF EN 124-1:2015 NF EN 124-2:2015	21-424-190
B125	CBAK40CFX16	Hydraulic manhole cover AKSESS with square frame of 400 without paw anchorage and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-422-227
B125	CBAK50CFX16	Hydraulic manhole cover AKSESS with square frame of 500 without paw anchorage and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-423-229
B125	CBAK60CFX16	Hydraulic manhole cover AKSESS with square frame of 600 without paw anchorage and locked cover	NF EN 124-1:2015 NF EN 124-2:2015	21-424-230
B125	CBHY25HF	Hydraulic manhole cover with square frame of 250 (250)	NF EN 124-1:2015 NF EN 124-2:2015	21-122-122
B125	CBHY30HF	Hydraulic manhole cover with square frame of 300 (300)	NF EN 124-1:2015 NF EN 124-2:2015	21-52-52

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
B125	CBHY40HF	Hydraulic manhole cover with square frame of 400 (415)	NF EN 124-1:2015 NF EN 124-2:2015	21-53-53
B125	CBHY50HF	Hydraulic manhole cover with square frame of 500 (520)	NF EN 124-1:2015 NF EN 124-2:2015	21-54-54
B125	CBHY60HF	Hydraulic manhole cover with square frame of 600 (600)	NF EN 124-1:2015 NF EN 124-2:2015	21-55-55
B125	CBHY70HF	Hydraulic manhole cover with square frame of 700 (700)	NF EN 124-1:2015 NF EN 124-2:2015	21-56-56
B125	CBHY80HF	Hydraulic manhole cover with square frame of 800 (800)	NF EN 124-1:2015 NF EN 124-2:2015	21-04-04
B125	CBHY36SF	Hydraulic manhole cover with circular frame of 360 (360)	NF EN 124-1:2015 NF EN 124-2:2015	21-169-169
B125	CBHY40SF	Hydraulic manhole cover with circular frame of 400 (437)	NF EN 124-1:2015 NF EN 124-2:2015	21-51-51
B125	CBHY50SF	Hydraulic manhole cover with circular frame of 500 (537)	NF EN 124-1:2015 NF EN 124-2:2015	21-83-83
B125	CBHY70SF	Hydraulic manhole cover with circular frame of 700 (700)	NF EN 124-1:2015 NF EN 124-2:2015	21-172-172
B125	CBOP30HF	Hydraulic pavement cover OPTEA 300 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-442-443
B125	CBOP40HF	Hydraulic pavement cover OPTEA 400 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-444-445
B125	CBOP50HF	Hydraulic pavement cover OPTEA 500 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-446-447
B125	CBOP60HF	Hydraulic pavement cover OPTEA 600 square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-448-449
B125	CBTC60RFX24	MEDIUM DUTY manhole cover non-ventilated with circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-28-85
B125	CBTC60CFX24	MEDIUM DUTY manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-40-85
C250	CCPY60RF	PAYSAGE manhole cover non-ventilated with circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-28-28
C250	CCPY60CF	PAYSAGE manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-40-28
C250	CCPG60AF	PAYSAGE 2 manhole cover non-ventilated with circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-355-393
C250	CCPG60BF	PAYSAGE 2 manhole cover ventilated with circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-355-353

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECPY60BF	PAYSAGE circular grating	NF EN 124-1:2015 NF EN 124-2:2015	21-28-153
C250	ECPG60BF16	PAYSAGE 2 circular grating, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-355-354
C250	ECPY60DF	PAYSAGE square frame grating	NF EN 124-1:2015 NF EN 124-2:2015	21-40-153
C250	CCAQ36TF	Height inspection cover AQUARING clear opening 360 – 40T	NF EN 124-1:2015 NF EN 124-2:2015	21-470-471
C250	CCBR25AFX28	Height adjustable hydraulic inspection cover square frame for iron pipe DN 250, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-170-170
C250	CCBR25BFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 250, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-170-170
C250	CCBR30AFX28	Height adjustable hydraulic inspection cover square frame for iron pipe DN 300, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-115-115
C250	CCBR30BFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 315, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-115-115
C250	CCBR40BFX29	Height adjustable hydraulic inspection cover square frame for iron pipe DN 400, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-216-216
C250	CCBR30BFX51	Height adjustable hydraulic inspection cover round frame for PVC pipe DN 315, without hinge	NF EN 124-1:2015 NF EN 124-2:2015	21-414-415
C250	CCBR30WFX28	Height adjustable hydraulic inspection cover square frame for iron pipe DN 300 without hinge	NF EN 124-1:2015 NF EN 124-2:2015	21-372-372
C250	CCBR30WFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 315 without hinge	NF EN 124-1:2015 NF EN 124-2:2015	21-372-372
C250	CCBR40WFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 400 without hinge	NF EN 124-1:2015 NF EN 124-2:2015	21-371-371
C250	CCBR25SFX28	Height adjustable hydraulic inspection cover round frame for iron pipe DN 250, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-283-170
C250	CCBR25SFX29	Height adjustable hydraulic inspection cover round frame for PVC pipe DN 250, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-283-170
C250	CCBR30SFX28	Height adjustable hydraulic inspection cover round frame for iron pipe DN 300, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-284-115
C250	CCBR30SFX29	Height adjustable hydraulic inspection cover round frame for PVC pipe DN 315, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-284-115
C250	CCBR40SFX29	Height adjustable hydraulic inspection cover round frame for iron pipe DN 400, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-287-216
C250	CBPK40HF	Hydraulic manhole cover Parxess, with square frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-266-266

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	CBPK50HF	Hydraulic manhole cover Parxess, with square frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-267-267
C250	CBPK60HF	Hydraulic manhole cover Parxess, with square frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-268-268
C250	CBPK70HF	Hydraulic manhole cover Parxess, with square frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-269-269
C250	CCBR30XF21	Height adjustable hinged inspection cover, with tight sealing DN 300	NF EN 124-1:2015 NF EN 124-2:2015	21-175-115
C250	CCVE30CF	Square manhole cover VENETO	NF EN 124-1:2015 NF EN 124-2:2015	21-173-173
C250	CCIT40CF935	Square manhole cover ITALIA 500 x 500, clear opening 320 x 320	NF EN 124-1:2015 NF EN 124-2:2015	21-73-137
C250	CCIT50CF	Square manhole cover ITALIA 500 x 500, clear opening 360 x 360	NF EN 124-1:2015 NF EN 124-2:2015	21-176-137
C250	CCTC50CF	Square manhole cover FRIULI 500 x 500, clear opening 370 x 370	NF EN 124-1:2015 NF EN 124-2:2015	21-232-137
C250	CCMI50CF	Square manhole cover MILANO	NF EN 124-1:2015 NF EN 124-2:2015	21-142-142
C250	CCMI58CF	Square manhole cover MILANO, with widened square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-182-142
C250	CCLO62CF	Square manhole cover LOMBARDIA, square frame 600 x 600, clear opening 500 x 500	NF EN 124-1:2015 NF EN 124-2:2015	21-233-233
C250	CCTC64GF	Rectangular manhole cover PUGLIA 650 x 450	NF EN 124-1:2015 NF EN 124-2:2015	21-171-171
C250	CCTC76GF	Rectangular manhole cover TROJAN 650 x 450 for parking areas and pavements, with frame and cover	NF EN 124-1:2015 NF EN 124-2:2015	21-167-167
C250	ECGA60AF	A kerb profile Inlet grating of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-64-64
C250	ECGA60TF	T kerb profile Inlet grating of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-65-65
C250	ECRV80AF	A kerb profile Gully cover plate (with class B 125 cover)	NF EN 124-1:2015 NF EN 124-2:2015	21-13-78
C250	ECVR80TF	T kerb profile Gully cover plate (with class B 125 cover)	NF EN 124-1:2015 NF EN 124-2:2015	21-15-78
C250	ECAV80AF	A kerb profile inlet of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-00-23
C250	ECAV80TF	T kerb profile inlet of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-00-22

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECSE80UF	SELECTA gully grating with raised bars, T kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-181-94
C250	ECSE80PF	SELECTA gully grating without raised bars	NF EN 124-1:2015 NF EN 124-2:2015	21-181-181
C250	ECSE80UFX11	SELECTA gully grating with raised bars - T kerb profile Safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-181-370
C250	ECSE80PFX11	SELECTA channel grating without raised bars - safe for people with restricted mobility - with additional bar	NF EN 124-1:2015 NF EN 124-2:2015	21-181-346
C250	ECSE80PFX21	SELECTA channel grating without raised bars- with frame without lugs	NF EN 124-1:2015 NF EN 124-2:2015	21-347-181
C250	ECSE80PFX31	SELECTA channel grating without raised bars - safe for people with restricted mobility - with frame without lugs	NF EN 124-1:2015 NF EN 124-2:2015	21-347-237
C250	ECSE75SFX11	SELECTA MAXI height adjustable gully unit with raised bars, A kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-160-160
C250	ECSE75SFX46	SELECTA MAXI height adjustable gully unit with raised bars, A kerb profile, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-160/160-381/160
C250	ECSE75UFX11	SELECTA MAXI height adjustable gully unit with raised bars, T kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-94-94
C250	ECSE75UFX46	SELECTA MAXI height adjustable gully unit with raised bars, T kerb profile, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-94/94-370/94
C250	ECSE75UFX16	SELECTA MAXI height adjustable gully unit without raised bar, T kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-94-181
C250	ECSE75UFX13	SELECTA MAXI 20-40 unit without raised bar, T kerb profile, safe for people with restricted mobility, with additional bar	NF EN 124-1:2015 NF EN 124-2:2015	21.406/407/94.346/94
C250	ECSE75UFX41	SELECTA MAXI height adjustable gully unit without raised bar, T kerb profile, safe for people with restricted mobility, with additional bar	NF EN 124-1:2015 NF EN 124-2:2015	21-94-346
C250	ECSE75MFX11	SELECTA MAXI height adjustable gully unit with raised bars, 90° kerb profil	NF EN 124-1:2015 NF EN 124-2:2015	21-94/348-94/94
C250	ECSE75MFX46	SELECTA MAXI height adjustable gully unit with raised bars, 90° kerb profil, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-94/348-370/94
C250	ECSE75MFX41	SELECTA MAXI height adjustable gully unit without raised bar, 90° kerb profil – safe for people with restricted mobility - with additional bar	NF EN 124-1:2015 NF EN 124-2:2015	21-94/348-346/94

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECSE61TF	SELECTA 500 gully unit with raised bars, T kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-178-178
C250	ECSE61UF	SELECTA 500 gully unit without raised bars, T kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-178-180
C250	ECSE61SF	SELECTA 500 gully unit with raised bars, A kerb profile	NF EN 124-1:2015 NF EN 124-2:2015	21-179-179
C250	ECCL30DF	“ AT “ Flat grating with frame 750 x 300	NF EN 124-1:2015 NF EN 124-2:2015	21-39-62
C250	EC603EF	600 x 350 Hinged flat grating SOLE with frame	NF EN 124-1:2015 NF EN 124-2:2015	21-112-112
C250	ECML30ZF	Flat grating with frame 750 x 300	NF EN 124-1:2015 NF EN 124-2:2015	21-39-39
C250	ECGP67PFX20	Communal Grating C 250 with central lugs	NF EN 124-1:2015 NF EN 124-2:2015	21-11-30
C250	ECGP67PFX19	Communal Grating C 250 without central lugs	NF EN 124-1:2015 NF EN 124-2:2015	21-12-30
C250	ECGP50PFX52	Communal Grating C250 with central lugs – safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-11-361
C250	ECGP50PFX51	Communal Grating C250 without central lugs – safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-12-361
C250	ECIT32PF	ITALIA Grating with frame	NF EN 124-1:2015 NF EN 124-2:2015	21-73-29
C250	ECIT36PF	ITALIA Grating with clear opening 360	NF EN 124-1:2015 NF EN 124-2:2015	21-176-29
C250	ECIT32PFX11	ITALIA Grating with clear opening 322, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-73-360
C250	ECIT36PFX11	ITALIA Grating with clear opening 360, safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-176-360
C250	ECGP50PF	MILANO Grating with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-142-161
C250	ECMI58PF	MILANO Grating with widened square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-182-161
C250	ECSQ40PF	Flat Square Grating SQUADRA with frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-95-95
C250	ECSQ50PF	Flat Square Grating SQUADRA with frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-96-96
C250	ECSQ50LF	Flat grating SQUADRA 500 with frame, height 100 mm	NF EN 124-1:2015 NF EN 124-2:2015	21-215-96

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECSQ60PF	Flat Square Grating SQUADRA with frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-97-97
C250	ECSQ70PF	Flat Square Grating SQUADRA with frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-98-98
C250	ECSQ80PF	Flat Square Grating SQUADRA with frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-99-99
C250	ECSQ35PFX11	SQUADRA 350 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-158-345
C250	ECSQ40PFX11	SQUADRA 400 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-95-310
C250	ECSQ50PFX11	SQUADRA 500 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-96-236
C250	ECSQ50LFX11	SQUADRA 500 flat square grating with frame height 100 mm safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-215-236
C250	ECSQ60PFX11	SQUADRA 600 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-97-311
C250	ECSQ70PFX11	SQUADRA 700 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-98-343
C250	ECSQ80PFX11	SQUADRA 800 flat square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-99-344
C250	ECSQ40CF	Concave square grating SQUADRA with frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-100-100
C250	ECSQ50CF	Concave square grating SQUADRA with frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-101-101
C250	ECSQ60CF	Concave square grating SQUADRA with frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-102-102
C250	ECSQ70CF	Concave square grating SQUADRA with frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-103-103
C250	ECSQ80CF	Concave square grating SQUADRA with frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-104-104
C250	ECSQ40CFX11	SQUADRA 400 concave square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-100-330
C250	ECSQ50CFX11	SQUADRA 500 concave square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-101-331
C250	ECSQ60CFX11	SQUADRA 600 concave square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-102-332
C250	ECSQ70CFX11	SQUADRA 700 concave square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-103-333

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECSQ80CFX11	SQUADRA 800 concave square grating with frame safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-104-334
C250	ECLZ57CF	Concave grating LAZIO with frame	NF EN 124-1:2015 NF EN 124-2:2015	21-77-31
C250	ECLZ57CFX11	Concave grating LAZIO with frame – safe for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-77-366
C250	ECGP20PF	Flat square grating with frame of 200	NF EN 124-1:2015 NF EN 124-2:2015	21-123-123
C250	ECGP25PF	Flat square grating with frame of 250	NF EN 124-1:2015 NF EN 124-2:2015	21-60-60
C250	ECGP30PF	Flat square grating with frame of 300	NF EN 124-1:2015 NF EN 124-2:2015	21-61-61
C250	ECGP40PF	Flat square grating with frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-29-29
C250	ECGP56PF	Flat square grating with frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-30-30
C250	ECGP60PF	Flat square grating with frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-27-27
C250	ECGP70PF	Flat square grating with frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-26-26
C250	ECGP80PF	Flat square grating with frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-25-25
C250	ECGP20PFX11	Flat square grating with frame of 200, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-123-357
C250	ECGP25PFX11	Flat square grating with frame of 250, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-60-358
C250	ECGP30PFX11	Flat square grating with frame of 300, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-61-359
C250	ECGP40PFX11	Flat square grating with frame of 400, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-29-360
C250	ECGP50PFX11	Flat square grating with frame of 500, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-30-361
C250	ECGP60PFX11	Flat square grating with frame of 600, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-27-362
C250	ECGP70PFX11	Flat square grating with frame of 700, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-26-363
C250	ECGP80PFX11	Flat square grating with frame of 800, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-25-364

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECGC40CF	Concave square grating with frame of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-33-33
C250	ECGC50CF	Concave square grating with frame of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-31-31
C250	ECGP60CF	Concave square grating with frame of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-35-35
C250	ECGP70CF	Concave square grating with frame of 700	NF EN 124-1:2015 NF EN 124-2:2015	21-32-32
C250	ECGP80CF	Concave square grating with frame of 800	NF EN 124-1:2015 NF EN 124-2:2015	21-34-34
C250	ECGC40CFX11	Concave square grating with frame of 400, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-33-365
C250	ECGC50CFX11	Concave square grating with frame of 500, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-31-366
C250	ECGC60CFX11	Concave square grating with frame of 600, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-35-367
C250	ECGC70CFX11	Concave square grating with frame of 700, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-32-368
C250	ECGC80CFX11	Concave square grating with frame of 800, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-34-369
C250	ECOP30PF	Flat grating OPTEA 300 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-456-457
C250	ECOP40PF	Flat grating OPTEA 400 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-458-459
C250	ECOP50PF	Flat grating OPTEA 500 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-460-461
C250	ECOP60PF	Flat grating OPTEA 600 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-462-463
C250	ECOP40CF	Concave grating OPTEA 400 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-450-451
C250	ECOP50CF	Concave grating OPTEA 500 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-452-453
C250	ECOP60CF	Concave grating OPTEA 600 with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-454-455
C250	ECML25PF	MECALINEA Grating 750 X 250	NF EN 124-1:2015 NF EN 124-2:2015	21-00-128
C250	ECML30PF	MECALINEA Grating 750 X 300	NF EN 124-1:2015 NF EN 124-2:2015	21-00-39

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	ECML35PF	MECALINEA Grating 750 X 350	NF EN 124-1:2015 NF EN 124-2:2015	21-00-84
C250	ECML40PF	MECALINEA Grating 750 X 400	NF EN 124-1:2015 NF EN 124-2:2015	21-00-02
C250	ECML50PF	MECALINEA Grating 750 X 500	NF EN 124-1:2015 NF EN 124-2:2015	21-00-37
C250	ECML60PF	MECALINEA Grating 750 X 600	NF EN 124-1:2015 NF EN 124-2:2015	21-00-36
C250	ECML70PF	MECALINEA Grating 750 X 700	NF EN 124-1:2015 NF EN 124-2:2015	21-00-63
C250	ECAL20PF	AUTOLINEA Grating 750 X 200	NF EN 124-1:2015 NF EN 124-2:2015	21-00-130
C250	ECAL25PF	AUTOLINEA Grating 750 X 250	NF EN 124-1:2015 NF EN 124-2:2015	21-00-131
C250	ECAL30PF	AUTOLINEA Grating 750 X 300	NF EN 124-1:2015 NF EN 124-2:2015	21-00-87
C250	ECAL40PF	AUTOLINEA Grating 750 X 400	NF EN 124-1:2015 NF EN 124-2:2015	21-00-88
C250	ECAL50PF	AUTOLINEA Grating 750 X 500	NF EN 124-1:2015 NF EN 124-2:2015	21-00-89
C250	ECAL60PF	AUTOLINEA Grating 750 X 600	NF EN 124-1:2015 NF EN 124-2:2015	21-00-90
C250	ECAL70PF	AUTOLINEA Grating 750 X 700	NF EN 124-1:2015 NF EN 124-2:2015	21-00-91
C250	ECML40RF	Flat Grating MECALINEA with round holes 750 X 400 without frame	NF EN 124-1:2015 NF EN 124-2:2015	21-00-74
C250	ECML60RF	Flat Grating MECALINEA with round holes 750 X 600 without frame	NF EN 124-1:2015 NF EN 124-2:2015	21-00-82
C250	ECML20PF + E5	Channel grating MECALINEA 200 X 750 with T section frame L 750	NF EN 124-1:2015 NF EN 124-2:2015	21-86-124
C250	ECAA30PFX11	AQUALINEA channel grating 750 x 300 without frame – access for people with reduced mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-00-373
C250	ECAA30PFX11+ E5	AQUALINEA grating 750 x 300 with T section frame L 750 – access for people with reduced mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-86-373
C250	ECAA30ZFX11	AQUALINEA grating 750 x 300 with frame – access for people with reduced mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-39-373
C250	256899	Gas manhole cover round form VHM	NF EN 124-1:2015 NF EN 124-2:2015	21-397-396

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
C250	CCBH30AFX28	Height adjustable hydraulic inspection cover square frame for iron pipe DN 300, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-466-115
C250	CCBH30BFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 315, hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-466-115
C250	CCBH30WFX28	Height adjustable hydraulic inspection cover square frame for iron pipe DN 300, without hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-469-372
C250	CCBH30WFX29	Height adjustable hydraulic inspection cover square frame for PVC pipe DN 315, without hinged	NF EN 124-1:2015 NF EN 124-2:2015	21-469-372
D400	CDPA60AF	PAMREX Exploitation manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-21-70
D400	CDPA60KF	PAMREX Exploitation manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-41-70
D400	CDPA60BF	PAMREX Exploitation manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-21-72
D400	CDPA60LF	PAMREX Exploitation manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-41-72
D400	CDPA60EF	PAMREX Safety Circular manhole cover non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-70-70
D400	CDPA60MF	PAMREX Safety Square manhole cover non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-71-70
D400	CDPA60FF	PAMREX Safety Circular manhole cover ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-70-72
D400	CDPA60PF	PAMREX Safety Square manhole cover ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-71-72
D400	CDPA603F	PAMREX Safety manhole cover apparent frame non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-139-70
D400	CDPA604F	PAMREX Safety manhole cover apparent frame ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-139-72
D400	CDPA601F	PAMREX Exploitation manhole cover apparent frame non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-140-70
D400	CDPA602F	PAMREX Exploitation manhole cover apparent frame ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-140-72
D400	CDPA70EF	PAMREX, clear opening 700 Safety manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-184-184
D400	CDPA70MF	PAMREX, clear opening 700 Safety manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-185-184
D400	CDPA70MF	PAMREX, clear opening 700 Safety manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-433-184

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	CDPA70FF	PAMREX, clear opening 700 Safety manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-184-193
D400	CDPA70PF	PAMREX, clear opening 700 Safety manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-185-193
D400	CDPA70PF	PAMREX, clear opening 700 Safety manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-433-193
D400	CDPA80EF CDPA80EFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-235-234
D400	CDPA80EF CDPA80EFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-234
D400	CDPA80MF CDPA80MFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-234
D400	CDPA80FF CDPA80FFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-235-250
D400	CDPA80FF CDPA80FFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-250
D400	CDPA80PF CDPA80PFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-250
D400	CDPA80MF CDPA80MFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-234-234
D400	CDPA80PF CDPA80PFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-234-250
D400	CDGE60AF	PAM GENIUS manhole cover no ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-475-476
D400	CDGE60BF	PAM GENIUS manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-475-477
D400	CDGE60KF	PAM GENIUS manhole cover no ventilated with square frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-243-241
D400	CDGE60LF	PAM GENIUS manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-243-242

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	CDGE60AFX51	PAM GENIUS manhole cover H75 no ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-409-408
D400	CDGE60BFX51	PAM GENIUS manhole cover H75 ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-409-410
D400	CDES60AF	PAM ESSENTIA manhole cover no ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-472-473
D400	CDES60BF	PAM ESSENTIA manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-472-474
D400	CDES60KF	PAM ESSENTIA manhole cover no ventilated with square frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-132-118
D400	CDES60LF	PAM ESSENTIA manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2: 2015	21-132-119
D400	CDRD60AF	REXEL 2 manhole cover featuring V10 frame, non ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-309-307
D400	CDRD60BF	REXEL 2 manhole cover featuring V10 frame, ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-309-308
D400	CDRT60AFX	R-TEX manhole cover non-ventilated with round frame 850	NF EN 124-1:2015 NF EN 124-2:2015	21-378-379
D400	CDOM60AF	REXEL Manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-118-118
D400	CDRX60KF	REXEL Manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-132-118
D400	CDOM60BF	REXEL Manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-118-119
D400	CDRX60LF	REXEL Manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-132-119
D400	CDRX609F	REXEL Manhole cover non-ventilated with apparent frame for concrete embedment	NF EN 124-1:2015 NF EN 124-2:2015	21-244-118
D400	CDRX600F	REXEL Manhole cover ventilated with apparent frame for concrete infilled presealing	NF EN 124-1:2015 NF EN 124-2:2015	21-244-119
D400	CDGX60AF	G-TEX Manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-335-313
D400	CDGX60BF	G-TEX Manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-335-314
D400	CDPE60AF	PAMETIGHT Manhole cover with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-67-67
D400	CDKR60EF	Hinged manhole cover KOREX, spring-bar locked non ventilated cover, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-241-241

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	CDKO60EF	Hinged manhole cover KORUM, spring-bar locked non ventilated cover, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-241-241
D400	CDKR60MF	Hinged manhole KORUM, non ventilated spring-bar locked cover, square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-243-241
D400	CDKO60FF	Hinged manhole KORUM ventilated spring-bar locked cover, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-241-242
D400	CDKO60MF	Hinged manhole KORUM, non ventilated spring-bar locked cover, square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-243-241
D400	CDKO60PF	Hinged manhole KORUM ventilated spring-bar locked cover, square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-243-242
D400	CDKO60EFX51	Hinged manhole cover KORUM H75, spring-bar locked non ventilated cover, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-409-408
D400	CDKO60FFX51	Hinged manhole KORUM H75 ventilated spring-bar locked cover, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-409-410
D400	CDGX60KF	G-TEX Manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-329-313
D400	CDGX60LF	G-TEX Manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-329-314
D400	CDQD40KF	Square manhole cover QUAD of 400	NF EN 124-1:2015 NF EN 124-2:2015	21-294-388
D400	CDQD30KF	Square manhole cover QUAD of 300	NF EN 124-1:2015 NF EN 124-2:2015	21-398-386
D400	CDQD50KF	Square manhole cover QUAD of 500	NF EN 124-1:2015 NF EN 124-2:2015	21-400-387
D400	CDQD60KF	Square manhole cover QUAD of 600	NF EN 124-1:2015 NF EN 124-2:2015	21-402-389
D400	EDPA60AF16	PAMREX Safety grating with circular frame, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-70-377
D400	EDPA6016	PAMREX Safety grating with square frame, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-71-377
D400	EDPA60BF16	PAMREX Exploitation grating with round frame, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-21-377
D400	EDPA60DF16	PAMREX Exploitation grating with square frame, suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-41-377
D400	EDRX60BF	REXEL grating, circular frame	NF EN 124-1:2015 NF EN 124-2:2015	21-118-164
D400	EDRX60BF16	REXEL grating, circular frame - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-118-376

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	EDRX60DF	REXEL grating, square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-132-164
D400	EDRX60DF16	REXEL grating, square frame - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-132-376
D400	EDDE40DFX14	DEDRA 400 grate D400 4-sided standard frame	NF EN 124-1:2015 NF EN 124-2:2015	21-294-295
D400	EDDE35DFX14	DEDRA 400 grate D400 4-sided frame for mudpan	NF EN 124-1:2015 NF EN 124-2:2015	21-293-295
D400	EDDE40RFX14	DEDRA 400 grate D400 3-sided standard frame	NF EN 124-1:2015 NF EN 124-2:2015	21-292-295
D400	EDDE35RFX14	DEDRA 400 grate D400 3-sided frame for mudpan	NF EN 124-1:2015 NF EN 124-2:2015	21-291-295
D400	EDDE35DFX15	Square concave D400 DEDRA grate, 4-sided frame with mudpan resting plate	NF EN 124-1:2015 NF EN 124-2:2015	21-302-297
D400	EDDE40DFX15	Square concave D400 DEDRA grate, 4-sided frame without mudpan resting plate	NF EN 124-1:2015 NF EN 124-2:2015	21-303-297
D400	EDDE30EFX11	Dedra 300 grate D400 4-sided standard frame - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-398-399
D400	EDDE40EFX11	DEDRA 400 grate D400 4-sided standard frame Suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-294-375
D400	EDDE35EFX11	DEDRA 400 grate D400 4-sided frame for mud pan Suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-293-375
D400	EDDE40IFX11	DEDRA 400 grate D400 3-sided standard frame Suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-292-375
D400	EDDE40KFX11	Concave D400 DEDRA grate, 4-sided frame without mudpan resting plate - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-303-374
D400	EDDE35KFX11	Concave D400 DEDRA grate, 4-sided frame with mud pan resting plate - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-302-374
D400	EDDE35IFX11	DEDRA 400 grate D400 3-sided frame for mud pan Suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-291-375
D400	EDDE50EFX11	Dedra 500 grate D400 4-sided standard frame - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-400-401
D400	EDDE60EFX11	Dedra 600 grate D400 4-sided standard frame - suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-402-403
D400	EDDE70EFX11	DEDRA 700 grate D400 4-sided standard frame – suitable for people with restricted mobility	NF EN 124-1:2015 NF EN 124-2:2015	21-404-405

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	EDTL40PF + E7	Channel grating TRANSLINEA for crossing carriageways with T section frame	NF EN 124-1:2015 NF EN 124-2:2015	21-138-156
D400	EDTL40PF + E8 + E10	Channel grating TRANSLINEA for crossing carriageways with T section frame and end pieces	NF EN 124-1:2015 NF EN 124-2:2015	21-162-156
D400	EDAL30PF	AUTOLINEA Longitudinal channel grating 750 X 300 with T section frame	NF EN 124-1:2015 NF EN 124-2:2015	21-138-113
D400	EDAL40PF	AUTOLINEA Longitudinal channel grating 750 X 400 with T section frame	NF EN 124-1:2015 NF EN 124-2:2015	21-138-18
D400	EDAL50PF	AUTOLINEA Longitudinal channel grating 750 X 500 with T section frame	NF EN 124-1:2015 NF EN 124-2:2015	21-138-106
D400	EDSO64EFX16	Hinged flat grating SOLE D400 with frame	NF EN 124-1:2015 NF EN 124-2:2015	21-425-426
D400	EDAA30ZFX11	Grate flate D400 AQUALINEA 750x300 with frame – for disable people	NF EN 124-1:2015 NF EN 124-2:2015	21-427-428
D400	256898	Gas manhole cover oval form VHM	NF EN 124-1:2015 NF EN 124-2:2015	21-395-394
D400	283947	Gas manhole cover round form n° 2 VHM	NF EN 124-1:2015 NF EN 124-2:2015	21-419-418
D400	283946	Gas Manhole Cover Round Form n° 3 VHM	NF EN 124-1:2015 NF EN 124-2:2015	21-417-416
D400	CDVM80AF CDVM80AFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-235-286
D400	CDVM80BF CDVM80BFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-235-285
D400	CDVM80KF CDVM80KFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-234-286
D400	CDVM80PF CDVM80PFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-234-285
D400	CDVM80AF CDVM80AFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-286
D400	CDVM80BF CDVM80BFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-285

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
D400	CDVM80KF CDVM80KFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-286
D400	CDVM80PF CDVM80PFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-285
E600	CEUR60AF	URBAMAX Manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-09-116
E600	CEUR60KF	URBAMAX Manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-10-116
E600	CEUR60BF	URBAMAX Manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-09-117
E600	CEUR60LF	URBAMAX Manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-10-117
E600	EETL40PF + E7	TRANSLINEA channel grating for crossing carriageways with T section frame	NF EN 124-1:2015 NF EN 124-2:2015	21-138-138
E600	EETL40PF + E7 + E10	TRANSLINEA channel grating for crossing carriageways with T section frame and end pieces	NF EN 124-1:2015 NF EN 124-2:2015	21-162-138
E600	CEPA60EF	PAMREX Safety Circular manhole cover non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-70-312
E600	CEPA60MF	PAMREX Safety Square manhole cover non-ventilated	NF EN 124-1:2015 NF EN 124-2:2015	21-71-312
E600	CEPA60AF	PAMREX Exploitation manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-21-312
E600	CEPA60KF	PAMREX Exploitation manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-41-312
E600	CEPA60FF	PAMREX Safety manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-70-380
E600	CEPA60PF	PAMREX Safety manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-71-380
E600	CEPA60BF	PAMREX Exploitation manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-21-380
E600	CEPA60LF	PAMREX Exploitation manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-41-380
E600	CEPA70PF	PAMREX, clear opening 700 Safety manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-433-432
E600	CEPA70FF	PAMREX, clear opening 700 Safety manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-184-432

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
E600	CEPA70MF	PAMREX, clear opening 700 Safety manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-433-431
E600	CEPA70EF	PAMREX, clear opening 700 Safety manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-184-431
E600	CEPA80EF CEPA80EFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-429
E600	CEPA80FF CEPA80FFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-430
E600	CEPA80MF CEPA80MFX37	PAMREX, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-429
E600	CEPA80PF CEPA80PFX37	PAMREX, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-430
E600	CEVM80AF CEVM80AFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-478
E600	CEVM80BF CEVM80BFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with round frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-464-479
E600	CEVM80KF CEVM80KFX37	VIATOP, clear opening 800 Safety manhole cover non-ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-478
E600	CEVM80PF CEVM80PFX37	VIATOP, clear opening 800 Safety manhole cover ventilated with square frame (with or without gas-arm lifting assistance)	NF EN 124-1:2015 NF EN 124-2:2015	21-465-479
F900	CFUR60AF	URBAMAX Manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-09-154
F900	CFUR60KF	URBAMAX Manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-10-154
F900	CFUR60BF	URBAMAX Manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-09-155
F900	CFUR60LF	URBAMAX Manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-10-155
F900	CFPA60EF	PAMREX, clear opening 600 Safety manhole cover non-ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-70-412

NF - Gully tops and manhole tops

Class	Reference	Designation of products	Standard	NF Identification
F900	CFPA60MF	PAMREX, clear opening 600 Safety manhole cover non-ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-71-412
F900	CFPA60FF	PAMREX, clear opening 600 Safety manhole cover ventilated with round frame	NF EN 124-1:2015 NF EN 124-2:2015	21-70-413
F900	CFPA60PF	PAMREX, clear opening 600 Safety manhole cover ventilated with square frame	NF EN 124-1:2015 NF EN 124-2:2015	21-71-413