


**GRIPTOP INTER-AX D400 ACCESS COVER**




Label	AxB	CxD	H	Cover mass	Total Mass	Packaging	References
212937	600X600 mm	803x803 mm	100 mm	44.1 kg	75.90 kg	5	212937
212939	600x600 mm	803x803 mm	150 mm	44.1 kg	85.00 kg	5	212939
212938	675x675 mm	880x830 mm	100 mm	59 kg	94.30 kg	5	212938
212940	675x675 mm	880x830 mm	150 mm	59 kg	104.30 kg	5	212940



## RECOMMENDED FOR USE IN:

Carriageways carrying continuous traffic where proven skid resistant performance is required. GripTop Inter-Ax offers a permanent high friction solution for where road design or configuration requires a product that demonstrates higher anti-skid properties such as the approaches to pedestrian crossings, traffic lights, roundabouts and junctions.

## DURABILITY




Includes the Load Transfer System (LTS) for optimum installation and product durability.

## PERFORMANCE D400



Three point suspension ensures non-rock and silent in operation performance.

## ACCREDITATION



Third party certified by BSI and kite marked to the requirements of BS EN 124. Compliant to the requirements of Highways England advice note HA104/09.

### ROAD SAFETY >80 PSRV RATING



Exceeds the requirements as stated within paragraph 3.4 of Chapter 3: Design Considerations for Chamber Tops within HA104/09. The PSRV has been independently verified in accordance with the requirements and methodology stated within BS9124.

### SAVE COST AND TIME - INSTALL PLUS



Available with the Install Plus frame levelling and installation system as standard.

*The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.*

*COPYRIGHT AND DESIGN RIGHT : This drawing is the exclusive property of Saint-Gobain PAM UK and is confidential and must not be reproduced or disclosed for any third party without written consent. It must be used only for the purpose for which it has been issued and is returnable on request*