


BRITON F900 ACCESS COVER



Label	AxB	CxD	E	Cover mass	Total Mass	Packaging	Product code
234849	600x600 mm	802x802 mm	150 mm	86 kg	141.00 kg	5	BK90
230598	675x675 mm	878x878 mm	150 mm	99 kg	159.00 kg	5	BK91
221195	1220x685 mm	1423x890 mm	150 mm	110 kg	295.00 kg	3	BK92
233039	1840x685 mm	2042x890 mm	150 mm	110 kg	445.00 kg	3	BK93




BRITON F900

RECOMMENDED FOR USE IN:

Areas that are subjected to heavy wheel loads such as aircraft pavements and container port areas.

The Briton range of F900 access covers combines a proven double triangular cover design with enhanced frame durability features that offers long term performance in a variety of heavy duty applications.

DURABILITY



Includes the Load Transfer System (LTS) for optimum installation and product durability

PERFORMANCE F900



Three point suspension ensures non-rock and silent in operation performance

ACCREDITATION



Third party certified by BSI and kite marked to the requirements of BS EN 124. Compliant to the requirements of Highways England advice note HA104/09

ROAD SAFETY >70 PSRV RATING



Radial raised chequer design with independently verified skid & slip resistance values

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.

COPYRIGHT AND DESIGN RIGHT : This drawing is the exclusive property of Saint-Gobain PAM UK and is confidential and must not be reproduced or disclosed for any third party without written consent. It must be used only for the purpose for which it has been issued and is returnable on request