


Hydraulic manhole cover AKSESS Vines B125 class - Non locked



Vines version for wine regions

| Type | AxA (mm) | OxO (mm) | A1xA2 (mm) | C1xC2 (mm) | H (mm) | h (mm) | Total Mass (kg) | Cover mass (kg) | Packaging | References |
|------|----------|----------|------------|------------|--------|--------|-----------------|-----------------|-----------|-------------|
| 300 | 310x310 | 220X220 | 295x292 | 280x278 | 37 | 31 | 8.20 | 4.9 | 10 / 60 | CBAK30HFM05 |
| 400 | 410x410 | 300X300 | 383x375 | 368x359 | 37 | 31 | 11.80 | 7.3 | 10 / 60 | CBAK40HFM05 |
| 500 | 510x510 | 400x400 | 477x476 | 462x461 | 38 | 32 | 17.80 | 11.2 | 10 / 40 | CBAK50HFM05 |
| 600 | 610x610 | 500x500 | 577x575 | 562x563 | 38 | 32 | 30.30 | 22.5 | 10 | CBAK60HFM05 |
| 700 | 710x710 | 600x600 | 677x676 | 662x662 | 38 | 32 | 43.80 | 34.5 | 10 | CBAK70HFM05 |
| 800 | 820x820 | 700x700 | 785x786 | 771x771 | 41 | 35 | 54.60 | 44.3 | 10 | CBAK80HFM05 |



Material and coating:

- Frame and cover in Ductile Iron EN GJS 400-15: water base coating

Field of application:

- B125 class (Group 2) according to standard EN124-2, footways, pedestrian areas and comparable areas, car parks and car parking decks.

Main characteristics:


- Single seal hydraulic manhole cover
- [Non-rock system ensuring the stability of the cover in its frame](#)
- [Frame with notched flange enabling an effective bedding](#)
- [Easy and ergonomic handling with hinged or slid opening](#)



Option: AkseSS "Territoriales by PAM" is of course eligible for the Color by PAM program

Warning: customization is not possible.


Linked products



Hydraulic manhole covers
AKSESS - Stability of the
covers



Hydraulic manhole covers
AKSESS - Bedding



Hydraulic manhole covers
AKSESS and PARXESS -
Ergonomics - Handling

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.