





## Manhole cover AKSESS AR B125 class



Hinged rectangular manhole cover manufactured according to EN124 standard, B125 class, composed with cover and frame made of ductile iron according to ISO 1083 with bituminous coating. Clear opening of 510 x 430 mm. Opens to 110° by double hinged system. Handling box on the front of the cover for ergonomic operation with usual tools.

AxB (mm)	O1xO2 (mm)	C1xC2 (mm)	E (mm)	F (mm)	H (mm)	Total Mass (kg)	Cover mass (kg)	Packaging	References
580X657	431x507	570x493	30	23	39	21.00	21	20	CBAK50UZ



### Material and coating:

- Frame and cover in ductile iron EN GJS 400-15 according to the standard ISO 1083 with bituminous coating.

### Field of application:

- B125 class (Group 2) according to standard EN124-2, footways, pedestrian areas and comparable areas, car parks and car parking decks.
- Periodic inspections.

### Main characteristics:

- Compliance with EN124-2:2015 testified by SG PAM as the standard allows it
- Hinged cover opens to 110°.
- Handling box.
- [Frame with notched flange enabling an effective bedding.](#)
- Compatibility with standardized concrete boxes.
- Optional cover anti-theft spline.
- [Non-rock system ensuring the stability of the cover in its frame.](#)



- Possibility of epoxy coating (on request).
- Personalized cover possibility (on request).
- Identification of the version.


### Conformity:

Saint-Gobain PAM attests that:


- the above mentioned products are manufactured in compliance with specifications, materials & characteristics as per EN124-2 : 2015 standard
- the features and performances of the above mentioned products are controlled and comply with requirements of EN124-1 : 2015 standard

The PAM brand affixed on these related products materialises this attestation of conformity.

### Linked products



Hydraulic manhole covers  
AKSESS - Bedding



Hydraulic manhole covers  
AKSESS - Stability of the  
covers

*The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.*