


**Channel grating AQUALINEA 750X300 - C250 class**



Type	CxD (mm)	H (mm)	e (mm)	Waterway area	Packaging	Mass (kg)	References
Grating on frame	300x748	30	56	6.58 dm <sup>2</sup>	10	34.31	ECAA30ZFX11
Grating on T section frames (*)	300x748	30	56	6.58 dm <sup>2</sup>	20	21.73	ECAA30PFX11

(\*) The grating is implemented on 2 T section frames E5 (to order separately).





## Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

## Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on [originefrancegarantie.fr](http://originefrancegarantie.fr). The certification number is: BVCert 6026906.
- *"Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".*


## Field of application:

- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.
- Omnidirectional punctual collection.

## Main characteristics:

- Flat gratings with mechanical chaining.
- The grating is implemented on [2 T section frame E5](#) or on frame
- Grid load resistance increased to 40 tonnes (400 kN)

## Linked products



T section frame 750 mm  
for gratings AUTOLINEA,  
AQUALINEA and  
MECALINEA C250 class



*The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.*