


Channel grating MECALINEA 250 to 400 - C250 class



CxD (mm)	b (mm)	f (mm)	e (mm)	e1 (mm)	Waterway area	Packaging	Mass (kg)	References
750x250	28	35	27	45	6.06 dm ²	30	17.51	ECML25PF
750x300	28	35	27	35	8.04 dm ²	30	22.52	ECML30PF
750x350	28	35	27	35	10.18 dm ²	20	30.00	ECML35PF
750x400	28	35	27	35	12.24 dm ²	20	35.00	ECML40PF



Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- "Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".»

Field of application:


- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.

Main characteristics:

- [Mechanical chaining](#)
 - Protection against theft, cannot be dismantled without tool
 - [Implementation](#)
-
- Format 400 available with round holes.

Format of the gratings	Holes dimensions (mm)	
	Length	Width
250	85	27 to 27.5
300	61 to 110	27 to 27.5
350	135	27 to 27.5
400	160	27 to 27.5

Linked products



Chaining device for MECALINEA grating



Grating MECALINEA C250 - Dimensions of concrete channels

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.