


Hydraulic manhole cover PARXESS C250 class



A1xA2 (mm)	OxO (mm)	B1xB2 (mm)	C1xC2 (mm)	H (mm)	h (mm)	Z (mm)	Total Mass (kg)	Cover mass (kg)	Packaging	References
430x450	300x300	400x423	380x399	56	50	45	24.40	14.5	10 or 60	CBPK40HF
530x550	400x400	500x520	480x499	56	50	56	32.30	20.7	10 or 40	CBPK50HF
630x650	500x500	600x620	580x599	56	50	65	40.60	31	10	CBPK60HF
730x750	600x600	700x720	680x698	56	50	75	55.60	40	10	CBPK70HF



Material and coating:

- Frame and cover in Ductile Iron EN GJS 400-15: varnish or bituminous coating

Field of application:

- C250 class (Group 3) according to standard EN 124-2, intended for the circulated pavements and similar locations subjected to the passage of vehicles.

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- "Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".»



Main characteristics:

- [Specific design ensuring the stability of the cover](#)
- [Frame notched at wide seating enabling a successful anchorage](#)
- [Easy and ergonomic handling](#)
- [Optional quarter turn locking system \(optional\)](#)
- [Set of 4 identification caps of underground network \(optional\)](#)

Accessories



Hydraulic manhole covers
AKSESS and PARXESS -
Ergonomics - Handling



Hydraulic manhole covers
PARXESS - Bedding




Manhole covers and gully
grates C250 and D400 class

Linked products



Locking kits PARXESS



Identification caps of
underground network for
PARXESS manhole cover

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.