


Kit Standard Fitting AQB + Standard Vi Gasket



Standard Double Socket Bends

| Angle | DN | Weight of Kit | References |
|-------|-----|---------------|------------------|
| 90° | 60 | 6.52 kg | NSA60CA00NN2-E06 |
| 45° | 60 | 6.82 kg | NSA60CB00NN2-E06 |
| 22°30 | 60 | 5.22 kg | NSA60CD00NN2-E06 |
| 11°15 | 60 | 5.42 kg | NSA60CE00NN2-E06 |
| 90° | 80 | 8.02 kg | NSA80CA00NN2-E06 |
| 45° | 80 | 7.42 kg | NSA80CB00NN2-E06 |
| 22°30 | 80 | 6.62 kg | NSA80CD00NN2-E06 |
| 11°15 | 80 | 6.92 kg | NSA80CE00NN2-E06 |
| 90° | 100 | 10.56 kg | NSB10CA00NN2-E06 |
| 45° | 100 | 9.46 kg | NSB10CB00NN2-E06 |
| 22°30 | 100 | 8.36 kg | NSB10CD00NN2-E06 |
| 11°15 | 100 | 8.46 kg | NSB10CE00NN2-E06 |
| 45° | 125 | 12.96 kg | NSB12CB00NN2-E06 |
| 22°30 | 125 | 10.56 kg | NSB12CD00NN2-E06 |
| 11°15 | 125 | 10.96 kg | NSB12CE00NN2-E06 |
| 90° | 150 | 18.98 kg | NSB15CA00NN2-E06 |
| 45° | 150 | 16.48 kg | NSB15CB00NN2-E06 |
| 22°30 | 150 | 13.08 kg | NSB15CD00NN2-E06 |
| 11°15 | 150 | 13.48 kg | NSB15CE00NN2-E06 |
| 90° | 200 | 30.44 kg | NSB20CA00NN2-E06 |
| 45° | 200 | 24.94 kg | NSB20CB00NN2-E06 |

| Angle | DN | Weight of Kit | References |
|-------|-----|---------------|------------------|
| 22°30 | 200 | 20.24 kg | NSB20CD00NN2-E06 |
| 11°15 | 200 | 20.44 kg | NSB20CE00NN2-E06 |
| 90° | 250 | 51.3 kg | NSB25CA00NN2-E06 |
| 45° | 250 | 42.2 kg | NSB25CB00NN2-E06 |
| 22°30 | 250 | 33.9 kg | NSB25CD00NN2-E06 |
| 11°15 | 250 | 32.2 kg | NSB25CE00NN2-E06 |
| 90° | 300 | 75.32 kg | NSB30CA00NN2-E06 |
| 45° | 300 | 61.62 kg | NSB30CB00NN2-E06 |
| 22°30 | 300 | 44.82 kg | NSB30CD00NN2-E06 |
| 11°15 | 300 | 42.32 kg | NSB30CE00NN2-E06 |

Standard Double Socket Tapers

| DN | Ø dn | Weight of Kit | References |
|-----|------|---------------|------------------|
| 100 | 80 | 7.99 kg | NSB10VE0ENN2-E06 |
| 150 | 100 | 11.82 kg | NSB15VE0FNN2-E06 |
| 200 | 100 | 18.2 kg | NSB20VE0FNN2-E06 |
| 200 | 150 | 17.76 kg | NSB20VE0JNN2-E06 |
| 250 | 125 | 24.58 kg | NSB25VE0GNN2-E06 |
| 250 | 200 | 23.67 kg | NSB25VE0KNN2-E06 |
| 300 | 200 | 33.93 kg | NSB30VE0KNN2-E06 |
| 300 | 250 | 32.66 kg | NSB30VE0LNN2-E06 |

Standard All Socket Tee

| DN | Ø dn | Weight of Kit | References |
|-----|------|---------------|------------------|
| 60 | 60 | 9.18 kg | NSA60TE0CNN2-E06 |
| 80 | 80 | 11.83 kg | NSA80TE0ENN2-E06 |
| 100 | 100 | 15.74 kg | NSB10TE0FNN2-E06 |
| 125 | 80 | 16.37 kg | NSB12TE0ENN2-E06 |
| 125 | 100 | 17.84 kg | NSB12TE0FNN2-E06 |
| 125 | 125 | 21.99 kg | NSB12TE0GNN2-E06 |
| 150 | 80 | 19.29 kg | NSB15TE0ENN2-E06 |
| 150 | 100 | 20.96 kg | NSB15TE0FNN2-E06 |
| 150 | 150 | 28.32 kg | NSB15TE0JNN2-E06 |
| 200 | 100 | 29.02 kg | NSB20TE0FNN2-E06 |
| 200 | 125 | 31.27 kg | NSB20TE0GNN2-E06 |

| DN | Ø dn | Weight of Kit | References |
|-----|------|---------------|------------------|
| 200 | 150 | 33.98 kg | NSB20TE0JNN2-E06 |
| 200 | 200 | 42.56 kg | NSB20TE0KNN2-E06 |
| 250 | 80 | 32.51 kg | NSB25TE0ENN2-E06 |
| 250 | 100 | 34.28 kg | NSB25TE0FNN2-E06 |
| 250 | 150 | 39.04 kg | NSB25TE0JNN2-E06 |
| 250 | 200 | 44.32 kg | NSB25TE0KNN2-E06 |
| 250 | 250 | 52.25 kg | NSB25TE0LNN2-E06 |
| 300 | 100 | 43.9 kg | NSB30TE0FNN2-E06 |
| 300 | 150 | 49.06 kg | NSB30TE0JNN2-E06 |
| 300 | 200 | 55.34 kg | NSB30TE0KNN2-E06 |
| 300 | 250 | 63.87 kg | NSB30TE0LNN2-E06 |
| 300 | 300 | 72.93 kg | NSB30TE0MNN2-E06 |

Standard Double Socket Tee

| DN | Ø dn | PN | Weight of Kit | References |
|-----|------|-------------|---------------|------------------|
| 60 | 40 | 10 16 25 40 | 9.12 kg | NSA60UD1ANN2-E06 |
| 60 | 60 | 10 16 | 9.59 kg | NSA60UD1CNN2-E06 |
| 60 | 60 | 25 40 | 9.62 kg | NSA60UD3CNN2-E06 |
| 80 | 60 | 10 16 | 11.09 kg | NSA80UD1CNN2-E06 |
| 80 | 60 | 25 40 | 11.12 kg | NSA80UD3CNN2-E06 |
| 80 | 65 | 10 16 | 11.68 kg | NSA80UD1DNN2-E06 |
| 80 | 80 | 10 16 25 40 | 12.39 kg | NSA80UD1ENN2-E06 |
| 100 | 40 | 10 16 25 40 | 12.56 kg | NSB10UD1ANN2-E06 |
| 100 | 60 | 10 16 | 13.03 kg | NSB10UD1CNN2-E06 |
| 100 | 60 | 25 40 | 13.06 kg | NSB10UD3CNN2-E06 |
| 100 | 65 | 10 16 | 13.62 kg | NSB10UD1DNN2-E06 |
| 100 | 80 | 10 16 25 40 | 14.63 kg | NSB10UD1ENN2-E06 |
| 100 | 100 | 10 16 | 16.26 kg | NSB10UD1FNN2-E06 |
| 100 | 100 | 25 40 | 17.46 kg | NSB10UD3FNN2-E06 |
| 125 | 40 | 10 16 25 40 | 14.96 kg | NSB12UD1ANN2-E06 |
| 125 | 60 | 10 16 | 15.43 kg | NSB12UD1CNN2-E06 |
| 125 | 60 | 25 40 | 15.46 kg | NSB12UD3CNN2-E06 |
| 125 | 65 | 10 16 | 16.02 kg | NSB12UD1DNN2-E06 |
| 125 | 65 | 25 40 | 16.46 kg | NSB12UD3DNN2-E06 |
| 125 | 80 | 10 16 25 40 | 16.93 kg | NSB12UD1ENN2-E06 |

| DN | Ø dn | PN | Weight of Kit | References |
|-----|------|-------------|---------------|------------------|
| 125 | 100 | 10 16 | 18.46 kg | NSB12UD1FNN2-E06 |
| 125 | 100 | 25 40 | 19.66 kg | NSB12UD3FNN2-E06 |
| 125 | 125 | 10 16 | 22.89 kg | NSB12UD1GNN2-E06 |
| 125 | 125 | 25 40 | 24.56 kg | NSB12UD3GNN2-E06 |
| 150 | 40 | 10 16 25 40 | 17.98 kg | NSB15UD1ANN2-E06 |
| 150 | 60 | 10 16 | 18.45 kg | NSB15UD1CNN2-E06 |
| 150 | 60 | 25 40 | 18.48 kg | NSB15UD3CNN2-E06 |
| 150 | 65 | 10 16 | 19.04 kg | NSB15UD1DNN2-E06 |
| 150 | 65 | 25 40 | 19.48 kg | NSB15UD3DNN2-E06 |
| 150 | 80 | 10 16 25 40 | 19.95 kg | NSB15UD1ENN2-E06 |
| 150 | 100 | 10 16 | 21.58 kg | NSB15UD1FNN2-E06 |
| 150 | 100 | 25 40 | 22.78 kg | NSB15UD3FNN2-E06 |
| 150 | 150 | 10 16 | 29.34 kg | NSB15UD1JNN2-E06 |
| 150 | 150 | 25 40 | 31.38 kg | NSB15UD3JNN2-E06 |
| 200 | 40 | 10 16 25 40 | 26.34 kg | NSB20UD1ANN2-E06 |
| 200 | 60 | 10 16 | 26.81 kg | NSB20UD1CNN2-E06 |
| 200 | 60 | 25 40 | 26.84 kg | NSB20UD3CNN2-E06 |
| 200 | 65 | 10 16 | 27.4 kg | NSB20UD1DNN2-E06 |
| 200 | 65 | 25 40 | 27.84 kg | NSB20UD3DNN2-E06 |
| 200 | 80 | 10 16 25 40 | 27.71 kg | NSB20UD1ENN2-E06 |
| 200 | 100 | 10 16 | 29.64 kg | NSB20UD1FNN2-E06 |
| 200 | 100 | 25 40 | 30.84 kg | NSB20UD3FNN2-E06 |
| 200 | 150 | 10 16 | 35.1 kg | NSB20UD1JNN2-E06 |
| 200 | 150 | 25 40 | 37.14 kg | NSB20UD3JNN2-E06 |
| 200 | 200 | 10 | 45.94 kg | NSB20UD1KNN2-E06 |
| 200 | 200 | 16 | 45.84 kg | NSB20UD2KNN2-E06 |
| 200 | 200 | 25 | 47.34 kg | NSB20UD3KNN2-E06 |
| 250 | 60 | 10 16 | 33.1 kg | NSB25UD1CNN2-E06 |
| 250 | 60 | 25 40 | 32.7 kg | NSB25UD3CNN2-E06 |
| 250 | 65 | 10 16 | 33.26 kg | NSB25UD1DNN2-E06 |
| 250 | 65 | 25 40 | 41.2 kg | NSB25UD3DNN2-E06 |
| 250 | 80 | 10 16 25 40 | 33 kg | NSB25UD1ENN2-E06 |
| 250 | 100 | 10 16 | 34.5 kg | NSB25UV1FNN2-E06 |
| 250 | 100 | 25 40 | 35.7 kg | NSB25UV3FNN2-E06 |

| DN | Ø dn | PN | Weight of Kit | References |
|-----|------|-------------|---------------|------------------|
| 250 | 150 | 10 16 | 40.7 kg | NSB25UD1JNN2-E06 |
| 250 | 150 | 25 40 | 42.7 kg | NSB25UD3JNN2-E06 |
| 250 | 200 | 10 | 48.7 kg | NSB25UD1KNN2-E06 |
| 250 | 200 | 16 | 48.9 kg | NSB25UD2KNN2-E06 |
| 250 | 200 | 25 | 50.2 kg | NSB25UD3KNN2-E06 |
| 250 | 250 | 10 | 57.5 kg | NSB25UD1LNN2-E06 |
| 250 | 250 | 16 | 57.5 kg | NSB25UD2LNN2-E06 |
| 250 | 250 | 25 | 60.2 kg | NSB25UD3LNN2-E06 |
| 300 | 60 | 10 16 | 44.32 kg | NSB30UD1CNN2-E06 |
| 300 | 60 | 25 40 | 43.92 kg | NSB30UD3CNN2-E06 |
| 300 | 65 | 10 16 | 59.08 kg | NSB30UD1DNN2-E06 |
| 300 | 80 | 10 16 25 40 | 44.12 kg | NSB30UD1ENN2-E06 |
| 300 | 100 | 10 16 | 44.42 kg | NSB30UV1FNN2-E06 |
| 300 | 100 | 25 40 | 45.62 kg | NSB30UV3FNN2-E06 |
| 300 | 150 | 10 16 | 51.42 kg | NSB30UD1JNN2-E06 |
| 300 | 150 | 25 40 | 53.42 kg | NSB30UD3JNN2-E06 |
| 300 | 200 | 10 | 60.92 kg | NSB30UD1KNN2-E06 |
| 300 | 200 | 16 | 61.12 kg | NSB30UD2KNN2-E06 |
| 300 | 200 | 25 | 62.42 kg | NSB30UD3KNN2-E06 |
| 300 | 250 | 10 | 70.52 kg | NSB30UD1LNN2-E06 |
| 300 | 250 | 16 | 70.52 kg | NSB30UD2LNN2-E06 |
| 300 | 250 | 25 | 73.22 kg | NSB30UD3LNN2-E06 |
| 300 | 300 | 10 | 81.72 kg | NSB30UD1MNN2-E06 |
| 300 | 300 | 16 | 81.22 kg | NSB30UD2MNN2-E06 |
| 300 | 300 | 25 | 84.82 kg | NSB30UD3MNN2-E06 |


Standard Flanged Socket

| DN | PN | Weight of Kit | References |
|-----|-------------|---------------|------------------|
| 60 | 10 16 | 5.63 kg | NSA60BE10NN2-E06 |
| 60 | 25 40 | 5.66 kg | NSA60BE30NN2-E06 |
| 80 | 10 16 25 40 | 6.88 kg | NSA80BE10NN2-E06 |
| 100 | 10 16 | 8.28 kg | NSB10BE10NN2-E06 |
| 100 | 25 40 | 9.48 kg | NSB10BE30NN2-E06 |
| 125 | 10 16 | 10.56 kg | NSB12BE10NN2-E06 |
| 125 | 25 40 | 12.23 kg | NSB12BE30NN2-E06 |

| DN | PN | Weight of Kit | References |
|-----|-------|---------------|------------------|
| 150 | 25 40 | 15.78 kg | NSB15BE30NN2-E06 |
| 200 | 10 | 21.02 kg | NSB20BE10NN2-E06 |
| 200 | 16 | 20.92 kg | NSB20BE20NN2-E06 |
| 200 | 25 | 22.42 kg | NSB20BE30NN2-E06 |
| 250 | 10 | 32.15 kg | NSB25BE10NN2-E06 |
| 250 | 16 | 31.75 kg | NSB25BE20NN2-E06 |
| 250 | 25 | 34.65 kg | NSB25BE30NN2-E06 |
| 300 | 10 | 43.61 kg | NSB30BE10NN2-E06 |
| 300 | 16 | 42.91 kg | NSB30BE20NN2-E06 |
| 300 | 25 | 46.51 kg | NSB30BE30NN2-E06 |

| DN mm | Class | PFA bar |
|----------|-------|------------|
| 60 | C40 | 22 |
| 80 | C40 | 16 |
| 100 | C40 | 16 |
| 125 | C40 | 16 |
| 150 | C40 | 16 |
| 200 | C40 | 16 |
| 250 | C40 | 16 |
| 300 | C40 | 16 |
| 350 | C30 | 16 |
| 400 | C30 | 16 |
| 450 | C30 | 13 |
| 500 | C30 | 11 |
| 600 | C30 | 10 |
| 700 | C25 | 10 |

Linked products



STD Vi gasket for Pipes and Fittings DN60-700

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.