


Flat grating SQUADRA 400 - C250 class



AxA (mm)	CxC (mm)	OxO (mm)	H (mm)	e (mm)	Total Mass (kg)	Grating mass (kg)	Waterway area	Packaging	References
410x410	352x362	300x300	39	80	19.28	12	5.50 dm ²	10	ECSQ40PF11

Width holes: 18 mm - Length holes: 98 to 150 mm





Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: bituminous coating

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.
- *"Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".*


Field of application:

- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.
- Omnidirectional punctual collection.
- Conform to the legislation concerning the progression of the people with reduced mobility.

Main characteristics:

- Possible rotation of the grating of 90° in its frame
- Automatic locking by spring bar
- Simple assembly and fast disassembling
- Protection against theft, cannot be dismantled without tool
- Anti-skid surface designed to optimize water absorption
- [Implementation](#)

Linked products



Grating SQUADRA C250 - Implementation



The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.